




UNCOMPROMISING PERFORMANCE



GP DESIGN CREATING
HIGH PERFORMANCE & DURABILITY

www.gptruckproducts.com.au



ISSUE 5 2026



SUPPORTING THE AUSTRALIAN TRANSPORT INDUSTRY SINCE 1992

GP Truck Products is a division of General Pneumatics, an Australian owned company established in Melbourne in 1992. For more than three decades, we have supplied reliable pneumatic and air system solutions to the road transport, rail, industrial and mining industries.

Established in 2011, GP Truck Products was created to provide a dedicated range of products for truck and trailer manufacturers, fleet operators, workshops and aftermarket distributors. Today, our products are trusted across Australia in applications where safety, reliability and performance are critical.

Our extensive product range supports a wide variety of truck, trailer, workshop and fleet maintenance applications across the Australian Transport Industry. Designed to withstand demanding Australian operating conditions, our products help reduce downtime, improve reliability and support safer vehicle operation.

Backed by experienced staff, technical product knowledge and a nationwide distribution network, GP Truck Products combines engineering expertise with practical

industry experience gained across the transport, rail and manufacturing sectors. Quality, compliance and continuous improvement are central to our approach. We place strong emphasis on engineering validation, product testing and adherence to internationally recognised standards, ensuring products are supported by appropriate test data and technical documentation.

Beyond mandatory requirements, we regularly undertake additional testing to better understand product performance, durability and reliability under real-world operating conditions, helping deliver dependable solutions for the Australian Transport Industry.

While Australia remains our primary market, GP Truck Products has established an international presence through exports to customers across the Asia Pacific region, the United Kingdom, South America and North America. This international reach reflects the confidence placed in our engineering, product quality and commitment to reliability.

Whether supplying OEMs, maintenance workshops, fleet operators or distributors, our commitment remains unchanged:

**"DELIVERING PRODUCTS
THAT PERFORM WHEN IT
MATTERS MOST"**



GP TRUCK PRODUCTS

AT A GLANCE



30+ YEARS EXPERIENCE

Supporting the Australian Transport Industry since 1992



OEM & AFTERMARKET

Products supplied to OEMs, fleets, workshops and distributors



TECHNICAL KNOWLEDGE

Specialists in pneumatic and air brake system applications



PRODUCT RANGE

- ▶ Air Brake Filtration
- ▶ Air Brake Tube
- ▶ Chassis
- ▶ Coupling
- ▶ Electrical
- ▶ Fitting
- ▶ Fitting Kit
- ▶ Merchandiser & Storage
- ▶ Safety Product
- ▶ Rubber Hose
- ▶ Suzi Coil
- ▶ Workshop Equipment



AUSTRALIAN OWNED

Melbourne based and independently operated



NATIONAL DISTRIBUTION

Available through distributors across Australia

OUR HISTORY

1992



General Pneumatics
Founded

2011



GP Truck Products
Established

TODAY



Supplying OEMs, Fleets,
Workshops and Distributors
Australia wide

01



AIR BRAKE FILTRATION

Automatic Drain Valve	7
DumpMaster Service Kit	8
TruckMaster Air Brake Filtration	9
TruckMaster Service Kit	10
TurboMaster Air Brake Filtration	11
Service & Spare Part	12


02



AIR BRAKE TUBE

Air Brake Tube Imperial	14
Air Brake Tube Metric	15
Boxed Air Brake Tube	16
Heavy Duty Tube Cutter	16
Tube Cutter	16
Replacement Blade - Tube Cutter	16

03



CHASSIS

Corrugated Split Tube	18
Cable Tie	18
Hose Clamp	19
Spiral Wrap	20


04



COUPLING

Truck and Trailer Coupling	22
Glad Hand	22
Coupling Adaptor	23
CLIPLOCK Coupling	26
Hydraulic Coupling	28


05



ELECTRICAL

EBS Cable - 7 Core	29
--------------------	----

06



FITTING

Standard Brass Fitting	31
Composite Fitting	43
DOT Compression	47
DOT Push-To-Connect	51
Industrial Fitting	62
Raufoss Air Brake Fitting	64

UNCOMPROMISING PERFORMANCE

07



FITTING KIT

Breakdown Kit	75
Glove Box Imperial Kit	76
Glove Box Metric Kit	77

08



MERCHANDISER & STORAGE

Lockable Fitting Cabinet / Stand	79
Mobile Fitting Rack	80
Modular Storage / Louvre Bin / Louvre Panel	81
Merchandise Display System	82
Hang Sell Product	84
Boxed Air Brake Tube Cabinet	85
Tube Stand	86

09



SAFETY PRODUCT

Conspicuity Tape	88
Trailer Coupling Lock	91

10



RUBBER HOSE

DOT Air Brake Rubber Hose	93
Rubber Hose Assembly	93

11



SUZI COIL

Tec-Clamp	95
Pogo Stick	96
Supercoil	97
Tender Spring Kit	98

12



WORKSHOP EQUIPMENT

Workshop Airline Coupling	100
BearingMaster	101
Bearing Grease Packer	102
Tyre Valve Extension	103

AIR BRAKE FILTRATION

**AUTOMATIC
DRAIN VALVE**



**DUMPMASTER
SERVICE KIT**



TRUCKMASTER



**TRUCKMASTER
SERVICE KIT**



TURBOMASTER

AUTOMATIC DRAIN VALVE

DRAIN MOISTURE & WATER FROM AIR BRAKE SYSTEM TANKS!

DUMPMASTER

Part # EXT-50-12V

Automatically drains water, oil and contaminants from truck air tanks every 6 minutes, helping maintain cleaner and more reliable air brake systems.



NSN: 4810-66-155-9895

TRUCK

TRAILMASTER

Part # EXP-40

Automatically drains water, oil and contaminants from trailer air tanks 30 seconds after brake application, reducing moisture build-up and maintenance requirements.



TRAILER

DUMPMASTER

Part # XD-30

Governor actuated automatic drain valve that can be used independently or with the EXT-50 and EXP-40 to automatically drain additional air tanks.



NSN: 4820-66-155-9896

TRUCK

240 VOLT ELECTRONIC DUMPMASTER EJECTOR

Part # EDV-500

Designed for workshop air compressors, the EDV-500 automatically removes liquid contaminants from the compressor tank to help maintain cleaner, drier compressed air. Operating on 240 Volt power, the EDV-500 can be used in conjunction with multiple XD-30 Automatic Drain Valves to automatically drain multiple outlets simultaneously.



DUMPMaster SERVICE KIT

PART # XD-102

DUMPMaster SERVICE KIT

COMPLETE SERVICE KIT FOR DUMPMaster DRAIN VALVE.

Part # XD-102

Suits DumpMaster drain valve: **EXT-50 • EXP-40 • XD-30 • EDV-500**

Designed for fast, efficient maintenance in heavy vehicle workshops, fleet operations and high brake cycle applications.



KEY COMPONENTS

- Bolt & Locknut
- Actuator Piston Seal
- Spring Retainer
- Exhaust Seal
- Flat Washer
- O-ring
- Stainless Steel Spring
- Magnalube 4cc

SERVICE INTERVAL

- Standard service interval:
120,000 km
- High brake cycle applications
(buses, waste vehicles and
vehicles with frequent braking):

Minimum of 4 services per year


FEATURES

- Restores drain valve performance
- Maintains reliable moisture discharge
- Prevents sticking and air system contamination
- Reduces unplanned downtime
- Cost-effective scheduled maintenance
- Extends service life of the drain valve

SERVICE KIT CONTENT

XD-102

ITEM #	QTY	DESCRIPTION
6	XD-06	Bolt
7	XD-07	Locknut
9	XD-09	Spring Retainer
10	XD-10	Flat Washer
11	XD-11	Stainless Steel Spring
12	XD-12	Actuator Piston Seal
13	XD-13	Exhaust Seal
14	XD-14	O-ring
15	XD-15	O-ring



TRUCKMASTER

AIR BRAKE FILTRATION



TRUCKMASTER

HEAVY DUTY AIR BRAKE SYSTEM FILTRATION.

TruckMaster is a heavy duty air brake system filtration unit engineered to remove oil vapour, water, sludge and carbon contamination from compressed air systems.

The unit is supplied as a fully integrated kit including the Electronic DumpMaster EXT-50 and DumpMaster XD-30 drain valves, providing controlled drainage and enhanced tank protection.

Unlike conventional desiccant based systems, TruckMaster does not rely on replaceable cartridges, purge tanks or compressor governor cycles. The system provides consistent performance with simplified servicing and lower long-term operating costs.

Designed for heavy vehicle OEM, trailer manufacturing, fleet maintenance and transport operations operating in harsh Australian conditions.

FEATURES

- Complete filtration and automatic drainage system
- Includes Electronic DumpMaster EXT-50 and DumpMaster XD-30
- No desiccants, chemicals or replacement cartridges
- Eliminates expensive cartridge replacement costs
- 25-minute scheduled service every 120,000 km
- No purge valves, purge tanks or purge cycle
- Electronic activation of drain valves
- Reduces contamination in tanks and downstream brake components
- Heavy duty construction for transport applications

TRUCKMASTER

ETP-500

PART #	DESCRIPTION
ETP-500-12V	TruckMaster Filter Series 500 12V
ETP-500-24V	TruckMaster Filter Series 500 24V
TP-500	TruckMaster Filter with Two XD-30
XT-500	TruckMaster Filter with XD-30



*TruckMaster ETP-500 assembled to a truck
International Patents Apply

The ultimate setup

TruckMaster ETP-500-12/24V includes DumpMaster EXT-50 & DumpMaster XD-30 to drain a second tank.



TRUCKMASTER

DUMPMASER EXT-50

(Also available separately)

DUMPMASER XD-30

TRUCKMASTER SERVICE KIT

PART # KIT-505

TRUCKMASTER SERVICE KIT

COMPLETE SERVICE KIT FOR TRUCKMASTER ETP-500 AIR BRAKE FILTRATION SYSTEMS.

Part # KIT-505

Engineered for fast, efficient maintenance in heavy vehicle workshops and fleet operations.

KEY COMPONENTS

- Stainless steel mesh set
- Bronze pre-filter
- Coalescing tube o-ring
- Expansion manifold o-ring
- Circlip

SERVICE INTERVAL

- Standard service interval:
120,000 km
- High brake cycle applications
(buses, waste vehicles and
vehicles with frequent braking):
Minimum of 4 services per year


FEATURES

- Restores full filtration performance
- Reduces oil, water and
contaminant carry-over
- Maintains air brake system efficiency
- Minimises vehicle downtime
- Supports preventative
maintenance programs
- Cost-effective scheduled servicing
solution
- Extends service life of the
TruckMaster

SERVICE KIT CONTENT

KIT-505

ITEM #	QTY	DESCRIPTION
3	1	M5 Screw Set
5	1	Bronze Pre-Filter
7	1	Cap o-ring
7a	1	Expansion Manifold o-ring
7b	1	Coalescing Tube o-ring
9	2	Circlip
10	5	Stainless Steel Mesh



TURBOMASTER

AIR BRAKE FILTRATION

TURBOMASTER

DESIGNED SPECIFICALLY FOR
AUSTRALIAN OPERATING CONDITIONS.

Australian Made Adaptor for CR/SKF Turbo 2000
Air Dryers.

TurboMaster is a precision-machined Australian Made adaptor engineered to allow the use of cost-effective WABCO® / BENDIX® type desiccant spin-on cartridges on CR/SKF Turbo 2000 (T224) air dryers.

FEATURES

- Converts CR/SKF Turbo 2000 (T224) air dryers to accept WABCO / BENDIX desiccant cartridges
- Provides cartridge cost savings of typically 75–80% compared to OEM CR-Turbo 2000 (T224) units
- Utilises widely available WABCO / BENDIX spin-on cartridges
- Reduced cartridge assembly weight (approximately 1.5 kg lighter than OEM CR-Turbo 2000 cartridge)
- Cartridges readily available through truck outlets Australia wide
- Precision-machined adaptor for reliable sealing and fitment
- Straightforward installation with no modification required
- Australian Made product designed for local conditions

TURBOMASTER

GP-300

PART #	DESCRIPTION
GP-300-01	Adaptor
GP-300-02	Adaptor with Filter
GP-300-03	Filter
GP-300-04	O-ring Service Kit



Part # GP-300-02



Part # GP-300-01



SERVICE & SPARE PART

REPLACEMENT COMPONENTS FOR DUMPMaster DRAIN VALVES AND TRUCKMaster AIR BRAKE FILTRATION SYSTEMS

EXTEND THE LIFE OF YOUR DRAIN VALVE.

Regular servicing helps maintain the performance and reliability of your DumpMaster automatic drain valve.

Genuine replacement components are available to support preventative maintenance programs and minimise unexpected downtime.



AIR BRAKE FILTRATION SPARE PARTS

PART #	DESCRIPTION
AMT-01	Armature Tube Assembly
ET-12-24V	Timer Module Electronic Multivolt 12/24V
EXT-02	EXT-50 End Cap Inlet
EXT-02-12V	Electronic Ejector End Cap with Timer Multivolt 12/24V
MC-12V	Magnetic Coil Multivolt 12/24V
MM-21-12V	Electronic Solenoid Timer Assembly Multivolt 12/24V
NUT-01	Aluminum Nut to hold MM-21-12V
XD-17	Remote Mount Bracket all Drain Valves
XT-500-15	TruckMaster Filter Service Module

AIR BRAKE BRAKE TUBE

IMPERIAL



METRIC



BOXED



TUBE CUTTER

IMPERIAL AIR BRAKE TUBE



IMPERIAL AIR BRAKE TUBE

SAE J844 & ADR 38/05 Compliant

GP Truck Products imperial air brake tubing is manufactured from high-grade polyamide (nylon) to meet SAE J844 performance requirements and Australian Design Rule ADR 38/05.

Designed specifically for heavy vehicle air brake systems, this tubing delivers reliable pressure stability, flexibility and long service life in demanding Australian transport environments.

Suitable for primary brake circuits, trailer systems and instrumentation air lines.

FEATURES

- Complies with SAE J844, DOT FMVSS 571.106 and ADR 38/05
- Manufactured from heat and UV stabilised polyamide (nylon)
- Rated up to 150 PSI working pressure
- Excellent resistance to ageing from heat and light exposure
- Wide operating temperature range
- Lightweight and flexible for easy routing and installation
- Available in multiple colours for line identification
- Supplied in box, bag or reel depending on length

Operating Temperature

-40°C to +93°C continuous operating range

Applications

- Trailer and heavy vehicle air brake systems
- OEM trailer manufacturing
- Fleet maintenance operations
- Aftermarket service and repairs
- Instrumentation and secondary air circuits

AIR BRAKE TUBE

PART # FORMULA

SECTION	FORMAT	EXAMPLE	NOTES
IMPERIAL	GP-[OD][Type]-[Colour]-[Length]	GP-04A-BK-25	1/4 Black 25m
METRIC	GP-[OD]-[ID]-[Colour]-[Length]	GP-6-4-BK-100	6mm x 4mm Black 100m

AIR BRAKE TUBE

IMPERIAL

PART #	OD TUBE	COLOUR	AVAILABLE AS BOXED LENGTH	AVAILABLE AS REEL LENGTH	BAG LENGTH
GP-02A-BK	1/8	Black	25m, 50m, 100m	N/A	N/A
GP-5/32A-BK	5/32	Black	25m, 50m	100m	N/A
GP-5/32A-BL	5/32	Blue	25m, 50m	100m	N/A
GP-5/32A-RD	5/32	Red	25m, 50m	100m	N/A
GP-5/32A-WH	5/32	White	25m, 50m	100m	N/A
GP-03A-BK	3/16	Black	25m, 50m	100m	N/A
GP-04A-BK	1/4	Black	25m, 50m	100m	N/A
GP-04A-RD	1/4	Red	25m, 50m	100m	N/A
GP-04A-BL	1/4	Blue	25m, 50m	100m	N/A
GP-04A-GN	1/4	Green	25m, 50m	100m	N/A
GP-04A-YL	1/4	Yellow	25m, 50m	100m	N/A
GP-04A-OR	1/4	Orange	25m, 50m	100m	N/A
GP-04A-WH	1/4	White	25m, 50m	100m	N/A
GP-04A-GY	1/4	Grey	25m, 50m	100m	N/A
GP-04A-CL	1/4	Clear	25m	100m	N/A
GP-05A-BK	5/16	Black	25m	50m, 100m	N/A
GP-06B-BK	3/8	Black	25m	50m, 100m	N/A
GP-06B-BL	3/8	Blue	25m	50m, 100m	N/A
GP-06B-RD	3/8	Red	25m	50m, 100m	N/A
GP-06B-GN	3/8	Green	25m	50m, 100m	N/A
GP-06B-OR	3/8	Orange	25m	50m, 100m	N/A
GP-08B-BK	1/2	Black	12.5m	50m, 100m	25
GP-08B-BL	1/2	Blue	12.5m	50m, 100m	25
GP-08B-RD	1/2	Red	12.5m	100m	25
GP-10B-BK	5/8	Black	N/A	25m, 50m, 100m	N/A
GP-12B-BK	3/4	Black	N/A	25m, 50m, 100m	N/A

METRIC AIR BRAKE TUBE



METRIC AIR BRAKE TUBE

DIN 74324 • ADR 38/05 Compliant

GP Truck Products metric air brake tubing is manufactured from high-grade polyamide (nylon) to meet DIN 74324 and Australian Design Rule ADR 38/05 requirements.

Designed specifically for heavy vehicle air brake systems, this tubing provides consistent pressure performance, flexibility and long service life in demanding transport and industrial environments.

Suitable for primary brake circuits, trailer systems, instrumentation and secondary air applications.

FEATURES

- Complies with DIN 74324, DOT FMVSS 571.106 and ADR 38/05
- Manufactured from heat and UV stabilised polyamide (nylon)
- Rated up to 150 PSI working pressure
- Excellent resistance to ageing from heat and light exposure
- Wide operating temperature range
- Lightweight and flexible for easy routing and installation
- Available in multiple colours for line identification
- Supplied in box, bag or reel depending on length

AIR BRAKE TUBE METRIC

PART #	OD TUBE	COLOUR		AVAILABLE AS BOXED LENGTH	AVAILABLE AS REEL LENGTH	AVAILABLE AS BAG LENGTH
GP-4-2-BK	4mm x 2mm	Black	○	25m, 50m	N/A	100m
GP-6-4-BK	6mm x 4mm	Black	○	25m, 50m	100m	N/A
GP-6-4-BL	6mm x 4mm	Blue	○	25m, 50m	100m	N/A
GP-6-4-RD	6mm x 4mm	Red	○	25m, 50m	100m	N/A
GP-6-4-GN	6mm x 4mm	Green	○	25m, 50m	100m	N/A
GP-8-6-BK	8mm x 6mm	Black	○	25m, 50m	100m	N/A
GP-8-6-BL	8mm x 6mm	Blue	○	25m, 50m	100m	N/A
GP-8-6-RD	8mm x 6mm	Red	○	25m, 50m	100m	N/A
GP-10-7.5-BK	10mm x 7.5mm	Black	○	25m	50m, 100m	N/A
GP-10-7.5-BL	10mm x 7.5mm	Blue	○	25m	50m, 100m	N/A
GP-10-7.5-RD	10mm x 7.5mm	Red	○	25m	50m, 100m	N/A
GP-12-9-BK	12mm x 9mm	Black	○	N/A	50m, 100m	25m
GP-12-9-BL	12mm x 9mm	Blue	○	50m	100m	25m
GP-12-9-RD	12mm x 9mm	Red	○	50m	100m	25m
GP-14-10-BK	14mm x 10mm	Black	○	N/A	50m, 100m	25m
GP-15-12-BK	15mm x 12mm	Black	○	N/A	25m, 50m, 100m	N/A
GP-16-12-BK	16mm x 12mm	Black	○	N/A	25m, 50m, 100m	N/A

Applications

- Trailer and heavy vehicle air brake systems
- OEM trailer manufacturing
- Fleet maintenance operations
- Aftermarket service and repairs
- Instrumentation and secondary air circuits

Operating Temperature

-40°C to +93°C
continuous operating range

BOXED AIR BRAKE TUBE



BOXED AIR BRAKE TUBE

Conformity to Australian Design Rules ADR-38/05 and performance conformity to ISO 7628, SAE J844, DIN 74323 and DIN 74324.

- Available in multiple colours & diameters
- 25, 50 & 100 metre lengths
- Stackable cartons keep your workshop neat and clean
- Store tubing in original packaging with easy access via perforated front panel
- Keeps dust and dirt away from tubing while in storage



TUBE CUTTER

- Designed for cutting nylon and plastic tubing used in air brake and pneumatic systems
- Self-centering design – tube locates securely in the "V"-shaped slot during cutting
- Hand operated – close blade onto tube and press upper housing downward
- Produces a clean, square cut for reliable, leak proof Push-To-Connect assembly
- Compact and easy to use in workshop or roadside applications
- Included in GP Glove Box Kits and Breakdown Kits
- Available in single and twin pack - **GP-TSNIP** (Single) / **GP-TSNIP-2** (Twin Pack)



HEAVY DUTY TUBE CUTTER

- Heavy duty rubber hose cutter
- Suitable for cutting nylon air brake tube
- Replaceable cutting blade
- Strong, durable construction
- Supplied in hang-sell packaging
- Replacement blade available
Part # GP-HDBLADE



REPLACEMENT BLADE

For Heavy Duty Tube Cutter

- Prolong the life of Heavy Duty Tube Cutter
Part # GP-HDBLADE



SECTION

03

CHASSIS

**CORRUGATED
SPLIT TUBE**



CABLE TIE



HOSE CLAMP



SPIRAL WRAP



CORRUGATED SPLIT TUBE & CABLE TIE

CORRUGATED SPLIT TUBE

Australian manufactured corrugated polypropylene split tube, designed for lightweight, flexible protection of cables and hoses in automotive and industrial applications.

FEATURES

- Lightweight and flexible conduit
- High impact polypropylene construction
- Resistant to oils, fluids and solvents
- Moderate UV stability
- Available in flame-retardant formulation (UL94 V2)
- Pre-slit for easy installation
- Custom colours and packaging available

Operating Range

-20°C to +90°C continuous

Up to +120°C peak



CORRUGATED SPLIT TUBE

PART #	DESCRIPTION	LENGTH
GP-ST7-400	7mm Split Tube	400m
GP-ST10-250	10mm Split Tube	250m
GP-ST13-150	13mm Split Tube	150m
GP-ST16-100	16mm Split Tube	100m
GP-ST20-100	20mm Split Tube	100m
GP-ST23-50	23mm Split Tube	50m
GP-ST29-50	29mm Split Tube	50m
GP-ST36-25	36mm Split Tube	25m
GP-ST48-25	48mm Split Tube	25m



CABLE TIE

UV stabilised nylon cable ties designed for secure bundling in automotive and industrial applications.

FEATURES

- UV stabilised (V2-UL94)
- Suitable for external applications
- Resistant to oils, solvents and automotive fluids
- Operating temperature: -20°C to +80°C

CABLE TIE

PART #	WIDTH	LENGTH	PACK SIZE
GP-564-35140	3.5mm	140mm	100 pcs
GP-564-45200	4.5mm	200mm	100 pcs
GP-564-75200	7.5mm	200mm	100 pcs
GP-564-45280	4.5mm	280mm	100 pcs
GP-564-45360	4.5mm	360mm	100 pcs
GP-564-75320	7.5mm	320mm	100 pcs
GP-564-75360	7.5mm	360mm	100 pcs
GP-564-75540	7.5mm	540mm	100 pcs
GP-564-90780	9.0mm	780mm	50 pcs

HOSE CLAMP



HOSE CLAMP

Heavy duty hose clamps designed to provide secure, consistent sealing performance across transport, trailer manufacturing, aftermarket and industrial applications.

ENGINEERED FOR RELIABLE CLAMPING UNDER VIBRATION, PRESSURE VARIATION AND HARSH OPERATING ENVIRONMENTS.

FEATURES

- Available in standard, heavy duty and stainless steel configurations
- Available in zinc-plated or stainless steel for corrosion resistance
- Worm drive and reinforced band designs
- High clamping force with stable torque retention
- Smooth band construction to reduce hose damage
- Wide diameter range to suit air, fuel, coolant and hydraulic hoses

Applications

- Trailer and body manufacturing (OEM)
- Heavy vehicle aftermarket servicing
- Hydraulic hose assemblies
- Industrial and agricultural equipment

If your required size is not listed, please contact us for availability.

STAINLESS STEEL - WORM DRIVE

GP-HC W4 - 304 Stainless Steel

PART #	SIZE (MM)
GP-HC-M6-16SSW	6-16
GP-HC-M11-20SSW	11-20
GP-HC-M13-23SSW	13-23
GP-HC-M14-27SSW	14-27
GP-HC-M17-32SSW	17-32
GP-HC-M21-38SSW	21-38
GP-HC-M27-51SSW	27-51
GP-HC-M33-57SSW	33-57
GP-HC-M40-64SSW	40-64

DOUBLE EAR CLIP

GP-HCDE W1 - Zinc Plated Steel

PART #	SIZE (MM)
GP-HCDE-M11-13	11-13
GP-HCDE-M22-25	22-25

HEAVY DUTY

GP-HCHD W2 - Stainless Steel Band / Zinc Plated Screw

PART #	SIZE (MM)
GP-HCHD-M27-29	27-29
GP-HCHD-M29-31	29-31
GP-HCHD-M40-43	40-43

STANDARD

GP-HC W1 - Zinc Plated Steel

PART #	SIZE (MM)
GP-HC-M8-12	8-12
GP-HC-M10-16	10-16
GP-HC-M12-22	12-22
GP-HC-M16-27	16-27
GP-HC-M20-32	20-32
GP-HC-M25-40	25-40

STAINLESS STEEL

GP-HC W4 - 304 Stainless Steel

PART #	SIZE (MM)
GP-HC-M6-16SS	6-16
GP-HC-M11-20SS	11-20
GP-HC-M13-23SS	13-23
GP-HC-M14-27SS	14-27
GP-HC-M17-32SS	17-32
GP-HC-M21-44SS	21-44
GP-HC-M25-40SS	25-40
GP-HC-M32-50SS	32-50
GP-HC-M40-60SS	40-60
GP-HC-M50-70SS	50-70
GP-HC-M60-80SS	60-80
GP-HC-M70-90SS	70-90
GP-HC-M80-100SS	80-100
GP-HC-M100-120SS	100-120
GP-HC-M120-140SS	120-140

TORQUE CAP

GP-HCTC W3 - 430 Stainless Steel

PART #	SIZE (MM)
GP-HCTC-M16-27	16-27
GP-HCTC-M20-32	20-32

SPIRAL WRAP



SPIRAL WRAP

Australian manufactured high-density polyethylene (HDPE) spiral wrap, engineered for heavy duty flexible protection of cables and hoses in demanding industrial environments.

DESIGNED TO PROTECT
CABLES, HYDRAULIC HOSES,
AIR AND GAS LINES FROM
IMPACT, ABRASION AND
ENVIRONMENTAL EXPOSURE.

FEATURES

- Heavy duty flexible protection
- High impact and abrasion resistance
- Excellent chemical resistance
- UV stabilised for outdoor applications
- Long fatigue life under dynamic movement
- Supplied in Black as standard

Suitable for transport, mining, agricultural and general industrial applications requiring durable hose and cable protection.

SPIRAL WRAP

PART #	DESCRIPTION	LENGTH
GP-SW16-10	16mm Spiral Wrap	10m
GP-SW20-10	20mm Spiral Wrap	10m
GP-SW25-20	25mm Spiral Wrap	20m
GP-SW32-20	32mm Spiral Wrap	20m
GP-SW40-20	40mm Spiral Wrap	20m
GP-SW50-20	50mm Spiral Wrap	20m
GP-SW60-20	60mm Spiral Wrap	20m

Properties

Minimum Continuous Operating Temperature	-50°C
Maximum Continuous Operating Temperature	80°C
Minimum Short Term Operating Temperature	-65°C
Maximum Peak Operating Temperature	100°C
Flammability UL94 (standard formulation)	HB Rating
Flammability UL94 (FRAS formulation)	V0 self-extinguishing
Weatherability	Good UV Stabilisation



Good UV
resistance



Highly flexible
Fatigue resistant



Good chemical
resistance



High impact
resistance



Manufactured
in Australia

SECTION
04
COUPLING

**TRUCK AND TRAILER
COUPLING**



COUPLING



GLAD HAND



**COUPLING
ADAPTOR**



**CLIPLOCK
COUPLING**



**HYDRAULIC
COUPLING**

TRUCK & TRAILER COUPLING

SUZI COIL COUPLING SET

Part # GP-90-01

- Coupling Female Thread 1/2 NPT Non sealing
- Included Parts: GP-921-08 (CA93-23, SA93-23) & GP-941-08 (CA93-87, SA93-87)



TRAILER COUPLING SET

Part # GP-90-02

- Coupling Male Thread 1/2 NPT Non sealing
- Included Parts: GP-931-08 (CA93-20, SA93-20) & GP-951-08 (CA93-85, SA93-85)



GLAD HANDS

Protecting Air Systems from Dirt & Insect Contamination

- Helps reduce dirt and insect contamination
- Integrated filter for added protection
- Aluminium construction
- Open and closed seal options
- Meets SAE J318 requirements

GLAD HAND

PART #	DESCRIPTION
GP-928-S08	Service Glad Hand - Open Seal & Filter
GP-928-E08	Emergency Glad Hand - Open Seal & Filter
GP-928-SDL	Open Double Lip Glad Hand Seal
GP-929-S08	Service Glad Hand - Closed Seal & Filter
GP-929-E08	Emergency Glad Hand - Closed Seal & Filter
GP-929-SDL	Closed Double Lip Glad Hand Seal

COUPLING & ADAPTOR



FEMALE COUPLING ADAPTOR - SEALING

GP-920

Female thread

PART #	X-REF	NPSF
GP-920-04	CA93-88	1/4
GP-920-06	CA93-89	3/8
GP-920-08	CA93-90	1/2



FEMALE COUPLING ADAPTOR - NON SEALING

GP-921

Female thread

PART #	X-REF	NPSF
GP-921-04	CA93-21	1/4
GP-921-06	CA93-22	3/8
GP-921-08	CA93-23	1/2



FEMALE COUPLING ADAPTOR - SEALING

GP-930

Male thread

PART #	X-REF	NPT
GP-930-04	CA93-91	1/4
GP-930-06	CA93-92	3/8
GP-930-08	CA93-93	1/2



MALE COUPLING ADAPTOR - NON SEALING

GP-931

Male thread

PART #	X-REF	NPT
GP-931-04	CA93-18	1/4
GP-931-06	CA93-19	3/8
GP-931-08	CA93-20	1/2



HOSE BARB ADAPTOR

GP-935

Hose barb

PART #	X-REF	HOSE
GP-935-04	CA93-29	1/4
GP-935-06	CA93-8	3/8
GP-935-08	CA93-14	1/2



DUOMATIC COUPLING MALE

GP-1403

PART #	PORT	X-REF
GP-1403	G3/8	4528040010



DUOMATIC COUPLING FEMALE

GP-1404

PART #	PORT	PORT	X-REF
GP-1404	1/4 - 18 NPSF	M22 X 1.5	4528020000

COUPLING & ADAPTOR



COUPLING ADAPTOR PLATE

GP-93

Imperial

PART #	X-REF	NPSF
GP-93-A420	SB420	1/2



BULKHEAD COUPLING ADAPTOR

GP-93

Includes ferrule & nut

PART #	X-REF	CONFIGURATION
GP-93-109A	CA93-109	3/8 TUBE X 1/2 BSPP



FEMALE COUPLING - SEALING

GP-940

Imperial

PART #	X-REF	NPSF
GP-940-04	CA93-33	1/4
GP-940-06	CA93-34	3/8
GP-940-08	CA93-35	1/2



BULKHEAD COUPLING - NON SEALING

GP-93

Includes ferrule & nut

PART #	X-REF	CONFIGURATION
GP-93-112A	CA93-112	3/8 TUBE X 1/2 BSPP



BULKHEAD COUPLING - SEALING

GP-93

Includes ferrule & nut

PART #	X-REF	CONFIGURATION
GP-93-117A	CA93-117	3/8 TUBE X 1/2 BSPP



FEMALE COUPLING - NON SEALING

GP-941

Imperial

PART #	X-REF	NPSF
GP-941-04	CA93-86	1/4
GP-941-06	CA93-82	3/8
GP-941-08	CA93-87	1/2



BULKHEAD FERRULE

GP-93

Ferrule

PART #	X-REF	CONFIGURATION
GP-93A-06F	NF103-6	3/8 Bulkhead Ferrule



BULKHEAD NUT

GP-93

Nut

PART #	X-REF	CONFIGURATION
GP-93A-06N	NF104-6	3/8 Bulkhead Nut

COUPLING & ADAPTOR



MALE COUPLING - SEALING

GP-950

Imperial

PART #	X-REF	NPT
GP-950-04	CA93-30	1/4
GP-950-06	CA93-31	3/8
GP-950-08	CA93-32	1/2



MALE COUPLING - NON SEALING

GP-951

Imperial

PART #	X-REF	NPT
GP-951-04	CA93-83	1/4
GP-951-06	CA93-84	3/8
GP-951-08	CA93-85	1/2



COUPLING DUST COVER

GP-93

Insert into coupling

PART #	TYPE
GP-93-79	Domed with chain



ADAPTOR DUST COVER

GP-93

Place over adaptor

PART #	TYPE
GP-93-81	With chain



ADAPTOR DUST COVER

GP-93

Place over adaptor

PART #	TYPE
GP-93-97	With nut & bolt



ADAPTOR DEAD END

GP-93

Seals the coupling


PART #	TYPE
GP-93-99	Includes washer, spring washer & nut

CLIPLOCK™

TRAILER COUPLING

PATENT PENDING

CLIPLOCK™ FEATURES AN 'OPTIONAL' NEW INNOVATIVE SECOND STAGE LOCKING SYSTEM EXCLUSIVE TO GP TRUCK PRODUCTS.



CLIPLOCK™ TRAILER COUPLING

FEATURES

- Innovative Two-Stage Locking Mechanism
- Unique Locking Clip and Locking Groove, Patent Pending
- Visual lock indicator, to alert driver if not engaged
- Ensures a positive and secure connection of Truck and Trailer Air Line Couplings
- Engineering breakthrough adding value and safety to traditional couplings in use for over 50 years
- Also known as SA93 or CA93 Series
- Air Brake Application
- Quick Connection to Truck and Trailer Adaptors
- Combine with your Suzi Coils for quick and secure connections

CLIPLOCK COUPLING

**CLIPLOCK BULKHEAD -
NON SEALING****GP-93**

Includes ferrule & nut

PART #	X-REF	CONFIGURATION
GP-93-112ACL	CA93-112	3/8 TUBE X 1/2 BSPP

**CLIPLOCK BULKHEAD -
SEALING****GP-93**

Includes ferrule & nut

PART #	X-REF	CONFIGURATION
GP-93-117ACL	CA93-117	3/8 TUBE X 1/2 BSPP

**CLIPLOCK FEMALE
COUPLING - SEALING****GP-940**

Imperial

PART #	X-REF	NPSF
GP-940-04CL	CA93-30	1/4
GP-940-06CL	CA93-34	3/8
GP-940-08CL	CA93-35	1/2

**CLIPLOCK FEMALE
COUPLING - NON SEALING****GP-941**

Imperial

PART #	X-REF	NPSF
GP-941-04CL	CA93-86	1/4
GP-941-06CL	CA93-82	3/8
GP-941-08CL	CA93-87	1/2

**CLIPLOCK MALE COUPLING
- SEALING****GP-950**

Imperial

PART #	X-REF	NPT
GP-950-04CL	CA93-30	1/4
GP-950-06CL	CA93-31	3/8
GP-950-08CL	CA93-32	1/2

**CLIPLOCK MALE COUPLING
- NON SEALING****GP-951**

Imperial

PART #	X-REF	NPT
GP-951-04CL	CA93-83	1/4
GP-951-06CL	CA93-84	3/8
GP-951-08CL	CA93-85	1/2

**CLIPLOCK LOCKING CLIP****GP-CL-01**

PART #	TYPE
GP-CL-01	Spare Part

HYDRAULIC COUPLING

HYDRAULIC COUPLING

The IRH series brings to the industry a proven design for use on construction equipment, forestry equipment, agricultural machinery, oil tools and other demanding hydraulic applications.

FEATURES

- Poppet valves open automatically when coupled
- Optimised internal flow channel provides better flow performance
- Critical parts are hardened for durability
- Socket and plug are precision machined from solid bar stock
- Compatible with TEMA TH and STUCCHI series couplings & adaptors
- Uncoupled leakage prevented due to incorporated poppet valve
- NBR O-ring
- Dependable ball-locking mechanism holds the mating halves together
- BSPP Female Threads

HYDRAULIC COUPLING ADAPTOR

PART #	BSPP
GP-900-5000	1/2
GP-900-7500	3/4
GP-900-10000	1

HYDRAULIC COUPLING

PART #	BSPP
GP-901-5000	1/2
GP-901-7500	3/4
GP-901-10000	1



ELECTRICAL

7 CORE EBS CABLE - DG RATED HYTREL SHEATH

Heavy duty 7 core EBS cable designed for trailer EBS and ABS brake system installations. Features a DG rated Hytrel sheath for durability and protection in demanding heavy transport environments.


Part # CHF7-BK

FEATURES

- DG Rated Hytrel Sheath
- ISO 7638 Colour Coded Conductors
- Suitable for EBS & ABS Applications
- Heavy duty Construction
- Available in 350 metre reels

Applications

- Trailer Manufacturers
- Trailer OEM Production
- Trailer Electrical Installations
- EBS & ABS Brake Systems
- Heavy Transport Trailers



7 Pin EBS Round Plug & Socket

PIN NO.	CIRCUIT	CABLE SIZE	ABS	EBS	COLOUR
1	Solenoid control valves (Pos+)	4.0mm ²	●	●	Red
2	Electronics (Pos+)	1.5mm ²	●	●	Black
3	Electronics (Neg-)	1.5mm ²	○	○	Yellow
4	Solenoid control valves (Neg-)	4.0mm ²	●	●	Brown
5	Warning device	1.5mm ²	○	○	White
6	CAN bus (high)	1.5mm ²	●	●	Green/White
7	CAN bus (low)	1.5mm ²	●	●	Brown/White



7 Pin Plug*




7 Pin Socket*

SECTION

06

FITTING



**STANDARD BRASS
FITTING**




**COMPOSITE
FITTING**



**DOT
COMPRESSION**



**DOT
PUSH-TO-CONNECT**




**RAUFOSS
AIR BRAKE FITTING**




**INDUSTRIAL
FITTING**

STANDARD BRASS FITTING



ALL BRASS FITTINGS DESIGNED FOR NORTH AMERICAN AND EUROPEAN TRUCK AND TRAILER AIR BRAKE SYSTEMS.



STANDARD BRASS FITTING



HEX HEAD DRAIN COCK

XD-16

Imperial

PART #	NPT
XD-16	1/4



WING NUT DRAIN COCK

XD-16

Imperial

PART #	NPT
XD-16-02W	1/8
XD-16-04W	1/4
XD-16-06W	3/8
XD-16-08W	1/2



PULL CORD DRAIN COCK

GP-XD

Imperial

PART #	NPT
GP-XD-16	1/4



PULL RING DRAIN COCK

XD-16

Metric with pull ring

PART #	METRIC
XD-16-M22P	M22

STANDARD BRASS FITTING



T-HANDLE BALL VALVE MALE X FEMALE

GPBV-501

Male to Female

PART #	MALE	FEMALE	TYPE
GPBV-501-04	1/4	1/4	BSP
GPBV-501-06	3/8	3/8	BSP
GPBV-501-08	1/2	1/2	NPT
GPBV-501-12	3/4	3/4	BSP
GPBV-501-16	1	1	BSP



MINI BALL VALVE MALE X FEMALE

GPBV-503

Male to Female

PART #	MALE	FEMALE	TYPE
GPBV-503-02	1/8	1/8	NPT
GPBV-503-04	1/4	1/4	BSP
GPBV-503-06	3/8	3/8	NPT
GPBV-503-08	1/2	1/2	NPT



LEVER HANDLE BALL VALVE MALE X FEMALE

GPBV-505

Male to Female

PART #	MALE	FEMALE	TYPE
GPBV-505-04	1/4	1/4	BSP
GPBV-505-06	3/8	3/8	BSP
GPBV-505-08	1/2	1/2	NPT
GPBV-505-12	3/4	3/4	BSP
GPBV-505-16	1	1	BSP



T-HANDLE BALL VALVE FEMALE X FEMALE

GPBV-502

Female to Female

PART #	FEMALE	FEMALE	TYPE
GPBV-502-04	1/4	1/4	BSP
GPBV-502-06	3/8	3/8	BSP
GPBV-502-08	1/2	1/2	NPT
GPBV-502-12	3/4	3/4	BSP
GPBV-502-16	1	1	BSP



MINI BALL VALVE FEMALE X FEMALE

GPBV-504

Female to Female

PART #	FEMALE	FEMALE	TYPE
GPBV-504-02	1/8	1/8	BSP
GPBV-504-04	1/4	1/4	BSP
GPBV-504-06	3/8	3/8	BSP
GPBV-504-08	1/2	1/2	BSP



LEVER HANDLE BALL VALVE FEMALE X FEMALE

GPBV-506

Female to Female

PART #	FEMALE	FEMALE	TYPE
GPBV-506-04	1/4	1/4	BSP
GPBV-506-06	3/8	3/8	BSP
GPBV-506-08	1/2	1/2	NPT
GPBV-506-12	3/4	3/4	BSP
GPBV-506-16	1	1	BSP

STANDARD BRASS FITTING



BRASS NUT

GP-NUT

Metric

PART #	SIZE
GP-NUT-M16	16mm
GP-NUT-M22	22mm
Also available	
GP-NUT-08BSPP	1/2 BSPP



THRUST WASHER

GP-TW

Metric

PART #	SIZE
GP-TW-M12	12mm
GP-TW-M14	14mm
GP-TW-M16	16mm
GP-TW-M22	22mm



O-RING

GP-TWOR

Metric

PART #	SIZE
GP-TWOR-M12	12mm
GP-TWOR-M14	14mm
GP-TWOR-M16	16mm
GP-TWOR-M22	22mm



REDUCING BUSH

GP-024

Imperial

PART #	NPSF	NPT
GP-024-0204	1/8	1/4
GP-024-0206	1/8	3/8
GP-024-0208	1/8	1/2
GP-024-02012	1/8	3/4
GP-024-0406	1/4	3/8
GP-024-0408	1/4	1/2
GP-024-04012	1/4	3/4
GP-024-0608	3/8	1/2
GP-024-06012	3/8	3/4
GP-024-08012	1/2	3/4

REDUCING BUSH

GP-024

Metric

PART #	METRIC (F)	METRIC (M)
GP-024-M16M22A	M16	M22



90 DEG MALE X FEMALE ELBOW

GP-025

Imperial

PART #	NPSF	NPT
GP-025-02	1/8	1/8
GP-025-0402	1/4	1/8
GP-025-04	1/4	1/4
GP-025-0604	3/8	1/4
GP-025-06	3/8	3/8
GP-025-08	1/2	1/2
GP-025-012	3/4	3/4

90 DEG MALE X FEMALE ELBOW

GP-025

Metric

PART #	METRIC
GP-025-M16A	M16
GP-025-M22A	M22
Also available	
GP-025S-M18	M18

STANDARD BRASS FITTING



BRASS SOCKET

GP-026

Imperial

PART #	NPSF
GP-026-02	1/8
GP-026-0402	1/4 x 1/8
GP-026-04	1/4
GP-026-0604	3/8 x 1/4
GP-026-06	3/8
GP-026-0804	1/2 x 1/4
GP-026-0806	1/2 x 3/8
GP-026-08	1/2
GP-026-012	3/4
GP-026-01206	3/4 x 3/8
GP-026-01208	3/4 x 1/2
Also available in BSPP	

BRASS SOCKET

GP-026

Metric

PART #	METRIC
GP-026-M10	M10
GP-026-M12	M12
GP-026-M16	M16
GP-026-M22	M22



STEEL SOCKET

GP-026

Imperial

PART #	NPSF
GP-026-04B	1/4
GP-026-06B	3/8
GP-026-08B	1/2
GP-026-012B	3/4



BLACK MILD STEEL SOCKET

GP-1026

BSPP

PART #	BSPP
GP-1026-04B	1/4
GP-1026-06B	3/8
GP-1026-08B	1/2
GP-1026-012B	3/4



HEX NIPPLE

GP-027

Imperial

PART #	NPT
GP-027-02	1/8
GP-027-04	1/4
GP-027-06	3/8
GP-027-08	1/2
GP-027-012	3/4

STEEL HEX NIPPLE

GP-027

Imperial

PART #	NPT
GP-027-04B	1/4
GP-027-08B	1/2
GP-027-012B	3/4




HEX NIPPLE

GP-027

Metric includes nut, thrust washer & o-ring

PART #	METRIC
GP-027-M22A	M22

STANDARD BRASS FITTING




90 DEG FEMALE ELBOW

GP-034

Imperial

PART #	NPSF
GP-034-02	1/8
GP-034-04	1/4
GP-034-06	3/8
GP-034-08	1/2
GP-034-012	3/4



FEMALE TEE

GP-035

Imperial

PART #	NPSF
GP-035-02	1/8
GP-035-04	1/4
GP-035-06	3/8
GP-035-08	1/2
GP-035-012	3/4

FEMALE TEE

GP-035

Metric

PART #	METRIC
GP-035-M16	M16
GP-035-M22	M22



90 DEG MALE ELBOW

GP-048

Imperial

PART #	NPSF
GP-048-02	1/8
GP-048-04	1/4
GP-048-0402	1/4 x 1/8
GP-048-0604	3/8 x 1/4
GP-048-06	3/8
GP-048-08	1/2

90 DEG MALE ELBOW

GP-048

Metric includes thrust washer & o-ring

PART #	METRIC
GP-048-M22A	M22



HEX PLUG

GP-064

Metric includes thrust washer & o-ring

PART #	METRIC
GP-064-M12A	M12
GP-064-M14A	M14
GP-064-M16A	M16
GP-064-M22A	M22



HEX PLUG

GP-064

Imperial

PART #	NPT
GP-064-02	1/8
GP-064-04	1/4
GP-064-06	3/8
GP-064-08	1/2
GP-064-012	3/4
GP-064-016	1



STEEL HEX PLUG

GP-064

Imperial

PART #	NPT
GP-064-04B	1/4
GP-064-06B	3/8
GP-064-08B	1/2
GP-064-012B	3/4

STANDARD BRASS FITTING



BRASS ADAPTOR

GP-072

Imperial female to Imperial male

PART #	NPSF	NPT
GP-072-0202	1/8	1/8
GP-072-0402	1/4	1/8
GP-072-0404	1/4	1/4
GP-072-0602	3/8	1/8
GP-072-0604	3/8	1/4
GP-072-0606	3/8	3/8
GP-072-0804	1/2	1/4
GP-072-0806	1/2	3/8
GP-072-0808	1/2	1/2
GP-072-01206	3/4	3/8
GP-072-01208	3/4	1/2



STEEL ADAPTOR

GP-072

Imperial female to Imperial male

PART #	NPSF	NPT
GP-072-0804B	1/2	1/4



BRASS ADAPTOR

GP-072

Imperial female to Metric male

PART #	NPSF	METRIC
GP-072-02M16A	1/8	M16
GP-072-04M10	1/4	M10
GP-072-04M12A	1/4	M12
GP-072-04M14A	1/4	M14
GP-072-04M16A	1/4	M16
GP-072-04M22A	1/4	M22
GP-072-06M16A	3/8	M16
GP-072-06M22A	3/8	M22
GP-072-08M22A	1/2	M22
GP-072-08M26	1/2	M26X1.5



STEEL ADAPTOR

GP-072

Imperial female to Metric male

PART #	NPSF	METRIC
GP-072-06M16AB	3/8	M16
GP-072-08M16AB	1/2	M16
GP-072-08M22AB	1/2	M22



BRASS ADAPTOR

GP-072

Metric female to Imperial or Metric male

PART #	METRIC	NPT/ METRIC
GP-072-M1604	M16	1/4
GP-072-M1606	M16	3/8
GP-072-M1608	M16	1/2
GP-072-M1808	M18	1/2
GP-072-M22012	M22	3/4
GP-072-M16M12A	M16	M12
GP-072-M22M16A	M22	M16



STEEL ADAPTOR

GP-072

Metric female to Imperial male

PART #	METRIC	NPT
GP-072-M1604B	M16	1/4
GP-072-M1608B	M16	1/2
GP-072-M2208B	M22	1/2

STANDARD BRASS FITTING



UNEQUAL HEX NIPPLE


GP-073

Imperial to Metric

PART #	NPT	METRIC
GP-073-04M12A	1/4	M12
GP-073-04M16A	1/4	M16
GP-073-06M16A	3/8	M16
GP-073-06M22A	3/8	M22
GP-073-08M22A	1/2	M22
GP-073-012M22A	3/4	M22
Also available		
GP-073-M16M22A	M16	M22

Steel

PART #	NPT	NPT
GP-073-0604B	3/8	1/4
GP-073-01208B	3/4	1/2



MALE X FEMALE BULKHEAD CONNECTOR

GP-082

Imperial with locknut

PART #	NPT	NPSF	BSPP
GP-082-08012B	1/2	1/2	3/4



MALE X FEMALE PANEL MOUNT BULKHEAD CONNECTOR

GP-082

Imperial with locknut

PART #	NPSF	BSPP
GP-082-0408B	1/4	1/2
GP-082-06016	3/8	1 UNF
GP-082-08012F	1/2	3/4

Also available

Also available assembled
with Star Washer

INTERNAL STAR WASHER

GP-SWI

Imperial

PART #	SIZE
GP-SWI-9/16	9/16
GP-SWI-5/8	5/8
GP-SWI-7/8	7/8
GP-SWI-1	1



45 DEG MALE X FEMALE ELBOW

GP-425

Imperial

PART #	NPSF	NPT
GP-425-02	1/8	1/8
GP-425-04	1/4	1/4
GP-425-06	3/8	3/8
GP-425-08	1/2	1/2
GP-425-012	3/4	3/4




45 DEG MALE X FEMALE SWIVEL ELBOW

GP-425S

Imperial

PART #	NPSF	NPT
GP-425S-04	1/4	1/4

STANDARD BRASS FITTING



45 DEG FEMALE ELBOW

GP-434

Imperial

PART #	NPSF
GP-434-02	1/8
GP-434-04	1/4
GP-434-06	3/8



45 DEG HOSE BARB

GP-450

Imperial

PART #	HOSE	NPT
GP-450-0806	1/2	3/8



THREADED HOSE BARB

GP-570

Imperial

PART #	HOSE	NPT
GP-570-0302	3/16	1/8
GP-570-0304	3/16	1/4
GP-570-0402	1/4	1/8
GP-570-0404	1/4	1/4
GP-570-0406	1/4	3/8
GP-570-0502	5/16	1/8
GP-570-0504	5/16	1/4
GP-570-0506	5/16	3/8
GP-570-0508	5/16	1/2
GP-570-0602	3/8	1/8
GP-570-0604	3/8	1/4
GP-570-0606	3/8	3/8
GP-570-0608	3/8	1/2
GP-570-0802	1/2	1/8
GP-570-0804	1/2	1/4
GP-570-0806	1/2	3/8
GP-570-0808	1/2	1/2
GP-570-08012	1/2	3/4
GP-570-01004	5/8	1/4
GP-570-01006	5/8	3/8
GP-570-01008	5/8	1/2
GP-570-010012	5/8	3/4
GP-570-01208	3/4	1/2
GP-570-012	3/4	3/4
GP-570-012016	3/4	1
GP-570-01608	1	1/2
GP-570-016012	1	3/4

Also available

Hose barb to BSPT Thread



THREADED HOSE BARB

GP-570

Imperial to Metric includes thrust washer & o-ring

PART #	HOSE	METRIC
GP-570-08M16A	1/2	M16
GP-570-08M22A	1/2	M22
GP-570-012M22A	3/4	M22



HOSE BARB MALE RUN TEE

GP-571

Imperial

PART #	HOSE	HOSE	NPT
GP-571-080806	1/2	1/2	3/8

STANDARD BRASS FITTING



HOSE BARB TEE

GP-573

Imperial

PART #	HOSE
GP-573-02	1/8
GP-573-03	3/16
GP-573-04	1/4
GP-573-05	5/16
GP-573-06	3/8
GP-573-08	1/2
GP-573-010	5/8
GP-573-012	3/4
GP-573-012010	3/4 x 5/8




HOSE BARB JOINER

GP-574

Imperial

PART #	HOSE
GP-574-02	1/8
GP-574-03	3/16
GP-574-04	1/4
GP-574-05	5/16
GP-574-06	3/8
GP-574-08	1/2
GP-574-010	5/8
GP-574-012	3/4
GP-574-016	1



HOSE BARB BRANCH TEE

GP-575

Imperial to Metric male x female

PART #	HOSE	METRIC (M)	METRIC (F)
GP-575-08M16M16F	1/2	M16	M16



HOSE BARB FEMALE RUN TEE

GP-576

Imperial to Metric female x male

PART #	HOSE	METRIC (F)	NPT (M)
GP-576-08M16F06	1/2	M16	3/8



90 DEG THREADED HOSE BARB

GP-579

Imperial to Metric includes nut, thrust washer & o-ring

PART #	HOSE	METRIC
GP-579-08M16A	1/2	M16



90 DEG THREADED HOSE BARB

GP-579

Imperial

PART #	HOSE	NPT
GP-579-0304	3/16	1/4
GP-579-0402	1/4	1/8
GP-579-0404	1/4	1/4
GP-579-0408	1/4	1/2
GP-579-0502	5/16	1/8
GP-579-0602	3/8	1/8
GP-579-0604	3/8	1/4
GP-579-0606	3/8	3/8
GP-579-0608	3/8	1/2
GP-579-0804	1/2	1/4
GP-579-0806	1/2	3/8
GP-579-0808	1/2	1/2
GP-579-01006	5/8	3/8
GP-579-01008	5/8	1/2
GP-579-012	3/4	3/4
GP-579-01208	3/4	1/2

Also available
Hose barb to BSPT Thread

STANDARD BRASS FITTING



REGULATING SILENCER

GP-672

BSP

PART #	BSP
GP-672-04	1/4



COMPACT SILENCER

GP-673

BSP

PART #	BSP
GP-673-02	1/8
GP-673-04	1/4
GP-673-06	3/8
GP-673-08	1/2




PLASTIC SILENCER

GP-673

BSP

PART #	BSP
GP-673-02P	1/8
GP-673-04P	1/4



MALE RUN TEE

GP-702

Imperial

PART #	NPSF	NPT
GP-702-02	1/8	1/8
GP-702-04	1/4	1/4
GP-702-06	3/8	3/8
GP-702-08	1/2	1/2
GP-702-012	3/4	3/4

MALE RUN TEE

GP-702

Metric includes locknut & o-ring

PART #	METRIC (F)	METRIC (M)
GP-702-M16A	M16	M16
GP-702-M22A	M22	M22
Also available		
GP-702-M16M22A	M16	M22



MALE BRANCH TEE

GP-735

Imperial

PART #	NPSF	NPT
GP-735-02	1/8	1/8
GP-735-04	1/4	1/4
GP-735-06	3/8	3/8
GP-735-08	1/2	1/2

STANDARD BRASS FITTING



TEST POINT

GP-3405

Imperial

PART #	NPTF
GP-3405-04	1/4
GP-3405-06	3/8




TEST POINT

GP-3405

Metric

PART #	METRIC
GP-3405-M16A	M16



TEST POINT COUPLING

GP-3406

Imperial to Metric

PART #	FEMALE	FEMALE
GP-3406-04M16	1/4	M16




HOSE BARB TEST POINT ADAPTOR

GP-3406

Imperial hose barb to Metric female

PART #	HOSE BARB	FEMALE
GP-3406-H03M16	3/16	M16
GP-3406-H04M16	1/4	M16
GP-3406-H06M16	3/8	M16

COMPOSITE FITTING



LIGHTWEIGHT COMPOSITE PUSH-TO-CONNECT FITTINGS OFFERING QUICK INSTALLATION, RELIABLE SEALING AND EASY TUBE REMOVAL FOR PNEUMATIC AIR AND WATER SYSTEMS.

COMPOSITE FITTING

**UNION - JOINER****GP62P**

Imperial tube

PART #	TUBE
GP62P02	1/8
GP62P5/32	5/32
GP62P03	3/16
GP62P04	1/4
GP62P05	5/16
GP62P06	3/8
GP62P08	1/2

UNION - JOINER**GPM62P**

Metric tube

PART #	TUBE
GPM62P4	4mm
GPM62P6	6mm
GPM62P8	8mm
GPM62P10	10mm
GPM62P12	12mm
GPM62P16	16mm

**UNION TEE****GP64P**

Imperial tube

PART #	TUBE
GP64P02	1/8
GP64P5/32	5/32
GP64P03	3/16
GP64P04	1/4
GP64P05	5/16
GP64P06	3/8
GP64P08	1/2

UNION TEE**GPM64P**

Metric tube

PART #	TUBE
GPM64P4	4mm
GPM64P6	6mm
GPM64P8	8mm
GPM64P10	10mm
GPM64P12	12mm
GPM64P16	16mm

**UNION ELBOW****GP65P**

Imperial tube

PART #	TUBE
GP65P02	1/8
GP65P03	3/16
GP65P04	1/4
GP65P05	5/16
GP65P06	3/8
GP65P08	1/2

UNION ELBOW**GPM65P**

Metric tube

PART #	TUBE
GPM65P4	4mm
GPM65P6	6mm
GPM65P8	8mm
GPM65P10	10mm
GPM65P12	12mm
GPM65P16	16mm

**Y-UNION JOINER****GP88P**

Imperial tube

PART #	TUBE
GP88P02	1/8
GP88P5/32	5/32
GP88P03	3/16
GP88P04	1/4
GP88P05	5/16
GP88P06	3/8

Y-UNION JOINER**GPM88P**

Metric tube

PART #	TUBE
GPM88P4	4mm
GPM88P6	6mm
GPM88P8	8mm
GPM88P10	10mm
GPM88P12	12mm

COMPOSITE FITTING

**FEMALE CONNECTOR****GP66P**

Imperial tube to BSPT female

PART #	TUBE	BSPT
GP66P0202	1/8	1/8
GP66P0204	1/8	1/4
GP66P5/3202	5/32	1/8
GP66P5/3204	5/32	1/4
GP66P0402	1/4	1/8
GP66P0404	1/4	1/4
GP66P0406	1/4	3/8
GP66P0502	5/16	1/8
GP66P0504	5/16	1/4
GP66P0506	5/16	3/8
GP66P0604	3/8	1/4
GP66P0606	3/8	3/8
GP66P0608	3/8	1/2
GP66P0806	1/2	3/8
GP66P0808	1/2	1/8

FEMALE CONNECTOR**GPM66P**

Metric tube to BSPT female

PART #	TUBE	BSPT
GPM66P402	4mm	1/8
GPM66P404	4mm	1/4
GPM66P602	6mm	1/8
GPM66P604	6mm	1/4
GPM66P606	6mm	3/8
GPM66P802	8mm	1/8
GPM66P804	8mm	1/4
GPM66P806	8mm	3/8
GPM66P1004	10mm	1/4
GPM66P1006	10mm	3/8
GPM66P1204	12mm	1/4
GPM66P1206	12mm	3/8
GPM66P1208	12mm	1/2

**MALE CONNECTOR****GP68P**

Imperial tube to BSPT male

PART #	TUBE	BSPT
GP68P5/3201	5/32	1/16
GP68P5/3202	5/32	1/8
GP68P0202	1/8	1/8
GP68P0302	3/16	1/8
GP68P0402	1/4	1/8
GP68P0404	1/4	1/4
GP68P0406	1/4	3/8
GP68P0604	3/8	1/4
GP68P0606	3/8	3/8
GP68P0608	3/8	1/2
GP68P0804	1/2	1/4
GP68P0806	1/2	3/8
GP68P0808	1/2	1/2

MALE CONNECTOR**GPM68P**

Metric tube to BSPT male

PART #	TUBE	BSPT
GPM68P402	4mm	1/8
GPM68P404	4mm	1/4
GPM68P602	6mm	1/8
GPM68P604	6mm	1/4
GPM68P606	6mm	3/8
GPM68P802	8mm	1/8
GPM68P804	8mm	1/4
GPM68P806	8mm	3/8
GPM68P1002	10mm	1/8
GPM68P1004	10mm	1/4
GPM68P1006	10mm	3/8
GPM68P1008	10mm	1/2
GPM68P1204	12mm	1/4
GPM68P1206	12mm	3/8
GPM68P1208	12mm	1/2

**MALE ELBOW****GP69P**

Imperial tube to BSPT male

PART #	TUBE	BSPT
GP69P0402	1/4	1/8
GP69P0404	1/4	1/4
GP69P0406	1/4	3/8
GP69P0502	5/16	1/8
GP69P0504	5/16	1/4
GP69P0602	3/8	1/8
GP69P0604	3/8	1/4
GP69P0606	3/8	3/8
GP69P0608	3/8	1/2
GP69P0804	1/2	1/4
GP69P0806	1/2	3/8
GP69P0808	1/2	1/2

MALE ELBOW**GPM69P**

Metric tube to BSPT male

PART #	TUBE	BSPT
GPM69P404	4mm	1/4
GPM69P602	6mm	1/8
GPM69P604	6mm	1/4
GPM69P606	6mm	3/8
GPM69P802	8mm	1/8
GPM69P804	8mm	1/4
GPM69P806	8mm	3/8
GPM69P1004	10mm	1/4
GPM69P1006	10mm	3/8
GPM69P1008	10mm	1/2
GPM69P1204	12mm	1/4
GPM69P1206	12mm	3/8
GPM69P1208	12mm	1/2

COMPOSITE FITTING

**MALE BRANCH TEE****GP72P**

Imperial tube to BSPT male


PART #	TUBE	BSPT
GP72P0302	3/16	1/8
GP72P0304	3/16	1/4
GP72P0402	1/4	1/8
GP72P0404	1/4	1/4
GP72P0406	1/4	3/8
GP72P0502	5/16	1/8
GP72P0504	5/16	1/4
GP72P0506	5/16	3/8
GP72P0604	3/8	1/4
GP72P0606	3/8	3/8
GP72P0608	3/8	1/2
GP72P0804	1/2	1/4
GP72P0806	1/2	3/8
GP72P0808	1/2	1/2

MALE BRANCH TEE**GPM72P**

Metric tube to BSPT male

PART #	TUBE	BSPT
GPM72P402	4mm	1/8
GPM72P404	4mm	1/4
GPM72P602	6mm	1/8
GPM72P604	6mm	1/4
GPM72P606	6mm	3/8
GPM72P802	8mm	1/8
GPM72P804	8mm	1/4
GPM72P806	8mm	3/8
GPM72P1004	10mm	1/4
GPM72P1006	10mm	3/8
GPM72P1008	10mm	1/2
GPM72P1204	12mm	1/4
GPM72P1206	12mm	3/8
GPM72P1208	12mm	1/2

DOT COMPRESSION



CONFORMITY TO:

AUSTRALIAN DESIGN RULES ADR-38/05

DOT FMVSS 571.106

SAE J246

SAE J1131

DOT COMPRESSION

**45 DEG MALE ELBOW****GP54CDOT**

Imperial tube to NPTF male

PART #	TUBE	NPTF
GP54CDOT0402	1/4	1/8
GP54CDOT0404	1/4	1/4
GP54CDOT0604	3/8	1/4
GP54CDOT0606	3/8	3/8
GP54CDOT0804	1/2	1/4
GP54CDOT0806	1/2	3/8
GP54CDOT0808	1/2	1/2

**UNION JOINER****GP62CDOT**

Imperial tube

PART #	TUBE
GP62CDOT04	1/4
GP62CDOT05	5/16
GP62CDOT06	3/8
GP62CDOT08	1/2
GP62CDOT10	5/8
GP62CDOT12	3/4

UNION JOINER**GP62C**

Metric tube NON DOT

PART #	TUBE
GP62C-M4	4mm
GP62C-M6	6mm
GP62C-M8	8mm
GP62C-M10	10mm
GP62C-M12	12mm
GP62C-M16	16mm

**UNION TEE****GP64CDOT**

Imperial tube

PART #	TUBE
GP64CDOT04	1/4
GP64CDOT06	3/8
GP64CDOT08	1/2
GP64CDOT10	5/8
GP64CDOT12	3/4

UNION TEE**GP64C**

Metric tube NON DOT

PART #	TUBE
GP64C-M4	4mm
GP64C-M6	6mm
GP64C-M8	8mm
GP64C-M10	10mm
GP64C-M12	12mm
GP64C-M16	16mm

DOT COMPRESSION

**MALE CONNECTOR****GP68CDOT**

Imperial tube to NPTF male

PART #	TUBE	NPTF
GP68CDOT0402	1/4	1/8
GP68CDOT0404	1/4	1/4
GP68CDOT0406	1/4	3/8
GP68CDOT0602	3/8	1/8
GP68CDOT0604	3/8	1/4
GP68CDOT0606	3/8	3/8
GP68CDOT0608	3/8	1/2
GP68CDOT0804	1/2	1/4
GP68CDOT0806	1/2	3/8
GP68CDOT0808	1/2	1/2
GP68CDOT1006	5/8	3/8
GP68CDOT1008	5/8	1/2
GP68CDOT1208	3/4	1/2

MALE CONNECTOR**GP68C**

Metric tube to NPTF male NON DOT

PART #	TUBE	NPTF
GP68C-M602	6mm	1/8
GP68C-M804	8mm	1/4
GP68C-M1004	10mm	1/4
GP68C-M1204	12mm	1/4

**MALE ELBOW CONNECTOR****GP69CDOT**

Imperial tube to NPTF male

PART #	TUBE	NPTF
GP69CDOT0402	1/4	1/8
GP69CDOT0404	1/4	1/4
GP69CDOT0406	1/4	3/8
GP69CDOT0502	5/16	1/8
GP69CDOT0602	3/8	1/8
GP69CDOT0604	3/8	1/4
GP69CDOT0606	3/8	3/8
GP69CDOT0608	3/8	1/2
GP69CDOT0804	1/2	1/4
GP69CDOT0806	1/2	3/8
GP69CDOT0808	1/2	1/2
GP69CDOT1006	5/8	3/8
GP69CDOT1008	5/8	1/2

MALE ELBOW CONNECTOR**GP69C**

Metric tube to Imperial NPTF male NON DOT


PART #	TUBE	NPTF
GP69C-M402	4mm	1/8
GP69C-M602	6mm	1/8
GP69C-M804	8mm	1/4
GP69C-M1004	10mm	1/4
GP69C-M1204	12mm	1/4

**MALE RUN TEE****GP71CDOT**

Imperial tube to NPTF male

PART #	TUBE	NPTF
GP71CDOT0402	1/4	1/8
GP71CDOT0604	3/8	1/4

DOT COMPRESSION

**MALE BRANCH TEE****GP72CDOT**

Imperial tube to NPTF male

PART #	TUBE	NPTF
GP72CDOT0402	1/4	1/8
GP72CDOT0404	1/4	1/4
GP72CDOT0604	3/8	1/4
GP72CDOT0606	3/8	3/8
GP72CDOT0804	1/2	1/4
GP72CDOT0806	1/2	3/8


**OLIVE****GP1460**

Imperial tube

PART #	OLIVE
GP1460-04	1/4
GP1460-05	5/16
GP1460-06	3/8
GP1460-08	1/2
GP1460-10	5/8
GP1460-12	3/4

Metric tube

PART #	OLIVE
GP-1460-M4	4mm
GP-1460-M6	6mm
GP-1460-M8	8mm
GP-1460-M10	10mm
GP-1460-M12	12mm
GP-1460-M16	16mm

**CENTRAL REDUCING TEE****GP79CDOT**

Imperial tube

PART #	TUBE
GP79CDOT0604	3/8 x 1/4 x 3/8
GP79CDOT0806	1/2 x 3/8 x 1/2

**INSERT****GP1484**

Imperial tube

PART #	INSERT
GP1484-04	1/4
GP1484-05	5/16
GP1484-06	3/8
GP1484-08	1/2
GP1484-10	5/8
GP1484-12	3/4

Metric tube

PART #	INSERT
GP-1484-M4	4mm
GP-1484-M6	6mm
GP-1484-M8	8mm
GP-1484-M10	10mm
GP-1484-M12	12mm
GP-1484-M16	16mm

**NUT****GP1461**



Imperial

PART #	NUT
GP1461-04	1/4
GP1461-05	5/16
GP1461-06	3/8
GP1461-08	1/2
GP1461-10	5/8
GP1461-12	3/4

Metric

PART #	NUT
GP-1461-M4	4mm
GP-1461-M6	6mm
GP-1461-M8	8mm
GP-1461-M10	10mm
GP-1461-M12	12mm
GP-1461-M16	16mm

DOT PUSH TO CONNECT



CONFORMITY TO:

DOT - DEPARTMENT OF TRANSPORT

APPROVED TO MEET:

AUSTRALIAN DESIGN RULES ADR-38/05

DOT FMVSS 571.106, SAE J2494/3, SAE J1131

DOT PUSH TO CONNECT

FITTING IDENTIFICATION CHART

Below is the formula we use to create our part numbers for the DOT Air Brake Push-To-Connect fittings. Here is an example and the breakdown of a typical part number.

MDQ	69	DOT	S	6	M	12
-----	----	-----	---	---	---	----

EG. - MDQ69DOTS6M12

Metric Male Elbow DOT Swivel 6mm Tube to Metric 12mm Thread

AVAILABLE CONFIGURATIONS:

IMPERIAL TUBE TO IMPERIAL THREAD

DQ68DOT0604

Imperial Tube - Male Connector - DOT - 3/8" OD Tube - 1/4" NPTF Thread

IMPERIAL TUBE TO METRIC THREAD

DQ69DOTS06M22

Imperial Tube - Male Elbow - DOT- Swivel - 3/8" OD Tube - M22 Thread

METRIC TUBE TO IMPERIAL THREAD

MDQ68DOT806

Metric Tube - Male Connector - DOT - 8mm OD Tube - 3/8" NPTF Thread

METRIC TUBE TO METRIC THREAD

MDQ69DOTS12M16

Metric Tube - Male Elbow - DOT - Swivel - 12mm OD Tube - M16 Thread

Conformity to:

DOT = Department of Transport

Approved to meet:

- Australian Design Rules ADR 38/05
- DOT FMVSS 571.106
- SAE J2494/3
- SAE J1131

DOTS = "S" is optional and denotes a swivel fitting.

STYLE OF FITTING

54

45 DEG MALE ELBOW



62

UNION - JOINER



64

UNION - TEE



65

UNION - ELBOW



66

FEMALE CONNECTOR



68

MALE CONNECTOR



69

MALE ELBOW



70

FEMALE ELBOW



71

MALE RUN TEE



72

MALE BRANCH TEE



77

FEMALE BRANCH TEE



79

UNEQUAL UNION TEE



82

BULKHEAD UNION



DOT PUSH TO CONNECT FITTING



45 DEG MALE ELBOW

DQ54DOT

Imperial tube to NPTF male

PART #	TUBE	NPTF
DQ54DOT0402	1/4	1/8
DQ54DOT0404	1/4	1/4
DQ54DOT0406	1/4	3/8
DQ54DOT0602	3/8	1/8
DQ54DOT0604	3/8	1/4
DQ54DOT0606	3/8	3/8
DQ54DOT0608	3/8	1/2
DQ54DOT0804	1/2	1/4
DQ54DOT0806	1/2	3/8
DQ54DOT1006	5/8	3/8
DQ54DOT1008	5/8	1/2



45 DEG SWIVEL MALE ELBOW

DQ54DOTS

Imperial tube to NPTF male

PART #	TUBE	NPTF
DQ54DOTS0402	1/4	1/8
DQ54DOTS0404	1/4	1/4
DQ54DOTS0602	3/8	1/8
DQ54DOTS0604	3/8	1/4
DQ54DOTS0606	3/8	3/8
DQ54DOTS0804	1/2	1/4
DQ54DOTS0806	1/2	3/8
DQ54DOTS0808	1/2	1/2
DQ54DOTS1008	5/8	1/2
DQ54DOTS1208	3/4	1/2



UNION JOINER

DQ62DOT

Imperial tube

PART #	TUBE
DQ62DOT5/32	5/32
DQ62DOT03	3/16
DQ62DOT04	1/4
DQ62DOT06	3/8
DQ62DOT08	1/2
DQ62DOT10	5/8
DQ62DOT06M10/7	3/8 x 10/7
ALSO AVAILABLE - NON DOT	
DQ62P02	1/8

UNION JOINER

MDQ62DOT

Metric tube

PART #	TUBE
MDQ62DOT4	4mm
MDQ62DOT6	6mm
MDQ62DOT8	8mm
MDQ62DOT9	9mm
MDQ62DOT10	10mm
MDQ62DOT11	11mm
MDQ62DOT12	12mm
MDQ62DOT15	15mm
MDQ62DOT16	16mm

DOT PUSH TO CONNECT FITTING



UNION TEE

DQ64DOT

Imperial tube

PART #	TUBE
DQ64DOT5/32	5/32
DQ64DOT03	3/16
DQ64DOT04	1/4
DQ64DOT05	5/16
DQ64DOT06	3/8
DQ64DOT08	1/2
DQ64DOT10	5/8

UNION TEE

MDQ64DOT

Metric tube

PART #	TUBE
MDQ64DOT4	4mm
MDQ64DOT6	6mm
MDQ64DOT8	8mm
MDQ64DOT10	10mm
MDQ64DOT12	12mm



UNION ELBOW

DQ65DOT

Imperial tube

PART #	TUBE
DQ65DOT5/32	5/32
DQ65DOT04	1/4
DQ65DOT06	3/8
DQ65DOT08	1/2

UNION ELBOW

MDQ65DOT

Metric tube

PART #	TUBE
MDQ65DOT4	4mm
MDQ65DOT6	6mm
MDQ65DOT8	8mm
MDQ65DOT10	10mm
MDQ65DOT12	12mm



FEMALE CONNECTOR

DQ66DOT

Imperial tube to NPTF female

PART #	TUBE	NPTF
DQ66DOT0302	3/16	1/8
DQ66DOT0402	1/4	1/8
DQ66DOT0404	1/4	1/4
DQ66DOT0604	3/8	1/4
DQ66DOT0606	3/8	3/8
DQ66DOT0608	3/8	1/2
DQ66DOT0804	1/2	1/4
DQ66DOT0806	1/2	3/8
DQ66DOT0808	1/2	1/2

DOT PUSH TO CONNECT FITTING



MALE CONNECTOR

DQ68DOT

Imperial tube to NPTF male

PART #	TUBE	NPTF
DQ68DOT5/3202	5/32	1/8
DQ68DOT0302	3/16	1/8
DQ68DOT0402	1/4	1/8
DQ68DOT0404	1/4	1/4
DQ68DOT0406	1/4	3/8
DQ68DOT0408	1/4	1/2
DQ68DOT0602	3/8	1/8
DQ68DOT0604	3/8	1/4
DQ68DOT0606	3/8	3/8
DQ68DOT0608	3/8	1/2
DQ68DOT0612	3/8	3/4
DQ68DOT0804	1/2	1/4
DQ68DOT0806	1/2	3/8
DQ68DOT0808	1/2	1/2
DQ68DOT1006	5/8	3/8
DQ68DOT1008	5/8	1/2
DQ68DOT1012	5/8	3/4
DQ68DOT1208	3/4	1/2
DQ68DOT1212	3/4	3/4

MALE CONNECTOR

DQ68DOT

Imperial tube to BSPT male

PART #	TUBE	BSPT
DQ68DOT0402RK	1/4	1/8

MALE CONNECTOR

DQ68P

Imperial tube to BSPT male NON DOT

PART #	TUBE	BSPT
DQ68P0602RK	3/8	1/8

MALE CONNECTOR

MDQ68DOT

Metric tube to BSPT male

PART #	TUBE	BSPT
MDQ68DOT604RK	6mm	1/4
MDQ68DOT806RK	8mm	3/8
MDQ68DOT808RK	8mm	1/2
MDQ68DOT1004RK	10mm	1/4
MDQ68DOT1206RK	12mm	3/8
MDQ68DOT1208RK	12mm	1/2


MALE CONNECTOR

MDQ68DOT

Metric tube to NPTF male

PART #	TUBE	NPTF
MDQ68DOT602	6mm	1/8
MDQ68DOT604	6mm	1/4
MDQ68DOT606	6mm	3/8
MDQ68DOT608	6mm	1/2
MDQ68DOT802	8mm	1/8
MDQ68DOT804	8mm	1/4
MDQ68DOT806	8mm	3/8
MDQ68DOT1004	10mm	1/4
MDQ68DOT1006	10mm	3/8
MDQ68DOT1008	10mm	1/2
MDQ68DOT1204	12mm	1/4
MDQ68DOT1206	12mm	3/8
MDQ68DOT1208	12mm	1/2

DOT PUSH TO CONNECT FITTING



MALE CONNECTOR

DQ68DOT

Imperial tube to Metric male

PART #	TUBE	METRIC
DQ68DOT04M12	1/4	M12
DQ68DOT06M12	3/8	M12
DQ68DOT06M14	3/8	M14
DQ68DOT06M16	3/8	M16
DQ68DOT06M22	3/8	M22
DQ68DOT08M16	1/2	M16
DQ68DOT08M22	1/2	M22
DQ68DOT10M16	5/8	M16

MALE CONNECTOR

MDQ68DOT

Metric tube to Metric male

PART #	TUBE	METRIC
MDQ68DOT6M10	6mm	M10
MDQ68DOT6M12	6mm	M12
MDQ68DOT6M14	6mm	M14
MDQ68DOT6M16	6mm	M16
MDQ68DOT6M22	6mm	M22
MDQ68DOT8M10	8mm	M10
MDQ68DOT8M12	8mm	M12
MDQ68DOT8M14	8mm	M14
MDQ68DOT8M16	8mm	M16
MDQ68DOT8M22	8mm	M22
MDQ68DOT10M10	10mm	M10
MDQ68DOT10M12	10mm	M12
MDQ68DOT10M14	10mm	M14
MDQ68DOT10M16	10mm	M16
MDQ68DOT10M22	10mm	M22
MDQ68DOT12M12	12mm	M12
MDQ68DOT12M14	12mm	M14
MDQ68DOT12M16	12mm	M16
MDQ68DOT12M22	12mm	M22
MDQ68DOT16M16	16mm	M16
MDQ68DOT16M22	16mm	M22



90 DEG MALE ELBOW

DQ69DOT

Imperial tube to NPTF male

PART #	TUBE	NPTF
DQ69DOT5/3202	5/32	1/8
DQ69DOT0302	3/16	1/8
DQ69DOT0304	3/16	1/4
DQ69DOT0402	1/4	1/8
DQ69DOT0404	1/4	1/4
DQ69DOT0406	1/4	3/8
DQ69DOT0602	3/8	1/8
DQ69DOT0604	3/8	1/4
DQ69DOT0606	3/8	3/8
DQ69DOT0608	3/8	1/2
DQ69DOT0804	1/2	1/4
DQ69DOT0806	1/2	3/8
DQ69DOT0808	1/2	1/2
DQ69DOT1006	5/8	3/8
DQ69DOT1008	5/8	1/2
DQ69DOT1208	3/4	1/2

DOT PUSH TO CONNECT FITTING



90 DEG MALE ELBOW

MDQ69DOT

Metric tube to BSPT male

PART #	TUBE	BSPT
MDQ69DOT604RK	6mm	1/4
MDQ69DOT804RK	8mm	1/4
MDQ69DOT806RK	8mm	3/8
MDQ69DOT808RK	8mm	1/2
MDQ69DOT1004RK	10mm	1/4
MDQ69DOT1206RK	12mm	3/8
MDQ69DOT1208RK	12mm	1/2

90 DEG MALE ELBOW

MDQ69DOT

Metric tube to NPTF male

PART #	TUBE	NPTF
MDQ69DOT1004	10mm	1/4
MDQ69DOT1206	12mm	3/8



90 DEG SWIVEL MALE ELBOW

DQ69DOTS

Imperial tube to NPTF male

PART #	TUBE	NPTF
DQ69DOTS5/3202	5/32	1/8
DQ69DOTS0302	3/16	1/8
DQ69DOTS0304	3/16	1/4
DQ69DOTS0402	1/4	1/8
DQ69DOTS0404	1/4	1/4
DQ69DOTS0406	1/4	3/8
DQ69DOTS0408	1/4	1/2
DQ69DOTS0602	3/8	1/8
DQ69DOTS0604	3/8	1/4
DQ69DOTS0606	3/8	3/8
DQ69DOTS0608	3/8	1/2
DQ69DOTS0804	1/2	1/4
DQ69DOTS0806	1/2	3/8
DQ69DOTS0808	1/2	1/2
DQ69DOTS1006	5/8	3/8
DQ69DOTS1008	5/8	1/2
DQ69DOTS1012	5/8	3/4
DQ69DOTS1208	3/4	1/2
DQ69DOTS1212	3/4	3/4

90 DEG SWIVEL MALE ELBOW

DQ69DOTS

Imperial tube to BSPT male

PART #	TUBE	BSPT
DQ69DOTS0402RK	1/4	1/8
DQ69DOTS0602RK	3/8	1/8

90 DEG SWIVEL MALE ELBOW

DQ69PS

Imperial tube to BSPT male NON DOT

PART #	TUBE	BSPT
DQ69PS0602RK	3/8	1/8

DOT PUSH TO CONNECT FITTING



90 DEG SWIVEL MALE ELBOW

MDQ69DOTS

Metric tube to NPTF male

PART #	TUBE	NPTF
MDQ69DOTS602	6mm	1/8
MDQ69DOTS604	6mm	1/4
MDQ69DOTS606	6mm	3/8
MDQ69DOTS608	6mm	1/2
MDQ69DOTS802	8mm	1/8
MDQ69DOTS804	8mm	1/4
MDQ69DOTS806	8mm	3/8
MDQ69DOTS808	8mm	1/2
MDQ69DOTS1004	10mm	1/4
MDQ69DOTS1006	10mm	3/8
MDQ69DOTS1204	12mm	1/4
MDQ69DOTS1206	12mm	3/8
MDQ69DOTS1208	12mm	1/2



90 DEG SWIVEL MALE ELBOW

MDQ69DOTS

Metric tube to Metric male

PART #	TUBE	METRIC
MDQ69DOTS6M10	6mm	M10
MDQ69DOTS6M12	6mm	M12
MDQ69DOTS6M16	6mm	M16
MDQ69DOTS6M18	6mm	M18
MDQ69DOTS6M22	6mm	M22
MDQ69DOTS8M12	8mm	M12
MDQ69DOTS8M16	8mm	M16
MDQ69DOTS8M22	8mm	M22
MDQ69DOTS10M12	10mm	M12
MDQ69DOTS10M16	10mm	M16
MDQ69DOTS10M22	10mm	M22
MDQ69DOTS12M12	12mm	M12
MDQ69DOTS12M16	12mm	M16
MDQ69DOTS12M22	12mm	M22
MDQ69DOTS16M22	16mm	M22

90 DEG SWIVEL MALE ELBOW

DQ69DOTS

Imperial tube to Metric male

PART #	TUBE	METRIC
DQ69DOTS04M12	1/4	M12
DQ69DOTS06M12	3/8	M12
DQ69DOTS06M14	3/8	M14
DQ69DOTS06M16	3/8	M16
DQ69DOTS06M22	3/8	M22
DQ69DOTS08M16	1/2	M16
DQ69DOTS08M22	1/2	M22
DQ69DOTS10M16	5/8	M16

DOT PUSH TO CONNECT FITTING



90 DEG FEMALE ELBOW

DQ70DOT

Imperial tube to NPTF female

PART #	TUBE	NPTF
DQ70DOT0402	1/4	1/8
DQ70DOT0404	1/4	1/4
DQ70DOT0604	3/8	1/4
DQ70DOT0606	3/8	3/8
DQ70DOT0806	1/2	3/8
DQ70DOT0808	1/2	1/2



90 DEG SWIVEL FEMALE ELBOW

DQ70DOTS

Imperial tube to NPTF female

PART #	TUBE	NPTF
DQ70DOTS0604	3/8	1/4



MALE RUN TEE

DQ71DOT

Imperial tube to NPTF male

PART #	TUBE	NPTF
DQ71DOT0402	1/4	1/8
DQ71DOT0404	1/4	1/4
DQ71DOT0604	3/8	1/4
DQ71DOT0606	3/8	3/8
DQ71DOT0806	1/2	3/8



SWIVEL MALE RUN TEE

DQ71DOTS

Imperial tube to NPTF male

PART #	TUBE	NPTF
DQ71DOTS0402	1/4	1/8
DQ71DOTS0404	1/4	1/4
DQ71DOTS0604	3/8	1/4
DQ71DOTS0606	3/8	3/8
DQ71DOTS0804	1/2	1/4
DQ71DOTS0806	1/2	3/8
DQ71DOTS0808	1/2	1/2



SWIVEL MALE RUN TEE

MDQ71DOTS

Metric tube to Metric male

PART #	TUBE	METRIC
MDQ71DOTS6M12	6mm	M12
MDQ71DOTS10M16	10mm	M16
MDQ71DOTS12M16	12mm	M16
MDQ71DOTS12M22	12mm	M22

DOT PUSH TO CONNECT FITTING



MALE BRANCH TEE

DQ72DOT

Imperial tube to NPTF male

PART #	TUBE	NPTF
DQ72DOT0404	1/4	1/4
DQ72DOT0406	1/4	3/8
DQ72DOT0604	3/8	1/4
DQ72DOT0606	3/8	3/8
DQ72DOT0608	3/8	1/2
DQ72DOT0806	1/2	3/8
DQ72DOT0808	1/2	1/2



SWIVEL MALE BRANCH TEE

DQ72DOTS

Imperial tube to NPTF male

PART #	TUBE	NPTF
DQ72DOTS0402	1/4	1/8
DQ72DOTS0404	1/4	1/4
DQ72DOTS0406	1/4	3/8
DQ72DOTS0602	3/8	1/8
DQ72DOTS0604	3/8	1/4
DQ72DOTS0606	3/8	3/8
DQ72DOTS0804	1/2	1/4
DQ72DOTS0806	1/2	3/8
DQ72DOTS0808	1/2	1/2



SWIVEL MALE BRANCH TEE

DQ72DOTS

Imperial tube to Metric male

PART #	TUBE	METRIC
DQ72DOTS06M22	3/8	M22
DQ72DOTS08M22	1/2	M22

SWIVEL MALE BRANCH TEE

MDQ72DOTS

Metric tube to Metric male

PART #	TUBE	METRIC
MDQ72DOTS6M12	6mm	M12
MDQ72DOTS10M16	10mm	M16
MDQ72DOTS12M16	12mm	M16
MDQ72DOTS12M22	12mm	M22

SWIVEL MALE BRANCH TEE

MDQ72DOTS

Metric tube to NPTF male

PART #	TUBE	NPTF
MDQ72DOTS602	6mm	1/8
MDQ72DOTS604	6mm	1/4
MDQ72DOTS804	8mm	1/4
MDQ72DOTS1004	10mm	1/4
MDQ72DOTS1204	12mm	1/4

DOT PUSH TO CONNECT FITTING



SWIVEL FEMALE BRANCH TEE

DQ77DOTS

Imperial tube to NPTF female

PART #	TUBE	NPTF
DQ77DOTS0604	3/8	1/4



CENTRAL REDUCING TEE

DQ79DOT

Imperial tube

PART #	TUBE
DQ79DOT0604	3/8 x 1/4 x 3/8

CENTRAL REDUCING TEE

DQ79DOT

Imperial tube to Metric tube

PART #	TUBE
DQ79DOT06M8	3/8 x 8mm x 3/8
DQ79DOT08M8	1/2 x 8mm x 1/2

CENTRAL REDUCING TEE

MDQ79DOT

Metric tube

PART #	TUBE
MDQ79DOT128	12mm x 8mm x 12mm

CENTRAL REDUCING TEE

MDQ79DOT

Metric tube to Imperial tube

PART #	TUBE
MDQ79DOT1206	12mm x 3/8 x 12mm



BULKHEAD UNION

DQ82DOT

Imperial tube

PART #	TUBE
DQ82DOT04	1/4
DQ82DOT06	3/8
DQ82DOT08	1/2

INDUSTRIAL FITTING



HEAVY DUTY METAL ONE-TOUCH FITTINGS
FOR INDUSTRIAL PNEUMATIC APPLICATIONS.
DESIGNED FOR DURABILITY, CORROSION
RESISTANCE AND RELIABLE PERFORMANCE
IN DEMANDING ENVIRONMENTS.

INDUSTRIAL

**UNION JOINER****GP-1162**

Imperial tube

PART #	TUBE
GP-1162-02	1/8
GP-1162-03	3/16
GP-1162-04	1/4
GP-1162-05	5/16
GP-1162-06	3/8
GP-1162-08	1/2

UNION JOINER**GP-1162**

Metric tube

PART #	TUBE
GP-1162-M4	4mm
GP-1162-M6	6mm
GP-1162-M8	8mm
GP-1162-M10	10mm
GP-1162-M12	12mm

**UNION TEE****GP-1164**

Imperial tube

PART #	TUBE
GP-1164-02	1/8
GP-1164-03	3/16
GP-1164-04	1/4
GP-1164-06	3/8
GP-1164-08	1/2

UNION TEE**GP-1164**

Metric tube

PART #	TUBE
GP-1164-M4	4mm
GP-1164-M6	6mm
GP-1164-M8	8mm
GP-1164-M10	10mm
GP-1164-M12	12mm

**UNION ELBOW****GP-1165**

Imperial tube

PART #	TUBE
GP-1165-02	1/8
GP-1165-03	3/16
GP-1165-04	1/4
GP-1165-05	5/16
GP-1165-06	3/8
GP-1165-08	1/2

UNION ELBOW**GP-1165**

Metric tube

PART #	TUBE
GP-1165-M4	4mm
GP-1165-M6	6mm
GP-1165-M8	8mm
GP-1165-M10	10mm
GP-1165-M12	12mm

INDUSTRIAL

**MALE CONNECTOR****GP-1168**

Imperial tube to BSPT male

PART #	TUBE	BSPT
GP-1168-0202	1/8	1/8
GP-1168-0204	1/8	1/4
GP-1168-5/3202	5/32	1/8
GP-1168-0402	1/4	1/8
GP-1168-0404	1/4	1/4
GP-1168-0406	1/4	3/8
GP-1168-0602	3/8	1/8
GP-1168-0604	3/8	1/4
GP-1168-0606	3/8	3/8
GP-1168-0608	3/8	1/2
GP-1168-0804	1/2	1/4
GP-1168-0806	1/2	3/8
GP-1168-0808	1/2	1/2

MALE CONNECTOR**GP-1168**

Metric tube to BSPT male

PART #	TUBE	BSPT
GP-1168-M402	4mm	1/8
GP-1168-M404	4mm	1/4
GP-1168-M602	6mm	1/8
GP-1168-M604	6mm	1/4
GP-1168-M606	6mm	3/8
GP-1168-M802	8mm	1/8
GP-1168-M804	8mm	1/4
GP-1168-M806	8mm	3/8
GP-1168-M1004	10mm	1/4
GP-1168-M1006	10mm	3/8
GP-1168-M1008	10mm	1/2
GP-1168-M1204	12mm	1/4
GP-1168-M1206	12mm	3/8
GP-1168-M1208	12mm	1/2

**MALE SWIVEL ELBOW****GP-1169S**

Imperial tube to BSPT male

PART #	TUBE	BSPT
GP-1169S-0202	1/8	1/8
GP-1169S-0204	1/8	1/4
GP-1169S-0302	3/16	1/8
GP-1169S-0402	1/4	1/8
GP-1169S-0404	1/4	1/4
GP-1169S-0602	3/8	1/8
GP-1169S-0604	3/8	1/4
GP-1169S-0606	3/8	3/8
GP-1169S-0608	3/8	1/2
GP-1169S-0804	1/2	1/4
GP-1169S-0806	1/2	3/8
GP-1169S-0808	1/2	1/2

MALE SWIVEL ELBOW**GP-1169S**

Metric tube to BSPT male

PART #	TUBE	BSPT
GP-1169S-M402	4mm	1/8
GP-1169S-M404	4mm	1/4
GP-1169S-M602	6mm	1/8
GP-1169S-M604	6mm	1/4
GP-1169S-M606	6mm	3/8
GP-1169S-M802	8mm	1/8
GP-1169S-M804	8mm	1/4
GP-1169S-M806	8mm	3/8
GP-1169S-M1002	10mm	1/8
GP-1169S-M1004	10mm	1/4
GP-1169S-M1006	10mm	3/8
GP-1169S-M1008	10mm	1/2
GP-1169S-M1204	12mm	1/4
GP-1169S-M1206	12mm	3/8
GP-1169S-M1208	12mm	1/2

**MALE SWIVEL RUN TEE****GP-1171S**

Imperial and Metric tube to BSPT male

PART #	TUBE	BSPT
GP-1171S-0302	3/16	1/8
GP-1171S-0402	1/4	1/8
GP-1171S-M402	4mm	1/8
GP-1171S-M602	6mm	1/8

INDUSTRIAL

**MALE SWIVEL BRANCH TEE****GP-1172S**

Imperial and Metric tube to BSPT male

PART #	TUBE	BSPT
GP-1172S-0302	3/16	1/8
GP-1172S-0402	1/4	1/8
GP-1172S-M402	4mm	1/8
GP-1172S-M602	6mm	1/8

**BULKHEAD UNION****GP-1182**

Imperial tube

PART #	TUBE
GP-1182-02	1/8
GP-1182-03	3/16
GP-1182-04	1/4
GP-1182-05	5/16
GP-1182-06	3/8
GP-1182-08	1/2

BULKHEAD UNION**GP-1182**

Metric tube

PART #	TUBE
GP-1182-M4	4mm
GP-1182-M6	6mm
GP-1182-M8	8mm
GP-1182-M10	10mm
GP-1182-M12	12mm

**UNION Y****GP-1188**

Imperial tube

PART #	TUBE
GP-1188-02	1/8
GP-1188-03	3/16
GP-1188-04	1/4
GP-1188-05	5/16
GP-1188-06	3/8
GP-1188-08	1/2


UNION Y**GP-1188**

Metric tube

PART #	TUBE
GP-1188-M4	4mm
GP-1188-M6	6mm
GP-1188-M8	8mm
GP-1188-M10	10mm
GP-1188-M12	12mm

RAUFOSS

AIR BRAKE FITTING



MODULAR, LIGHTWEIGHT AND VERSATILE
AIR BRAKE FITTINGS DESIGNED FOR
TRUCK AND TRAILER AFTERMARKET AND
OEM APPLICATIONS.

RAUFOSS AIR BRAKE FITTING



STRAIGHT MALE CONNECTOR

GPR-901

Metric tube to Metric male

PART #	TUBE	METRIC
GPR-901 06 010	6mm	M10
GPR-901 06 012	6mm	M12
GPR-901 06 014	6mm	M14
GPR-901 06 016	6mm	M16
GPR-901 06 022	6mm	M22
GPR-901 08 012	8mm	M12
GPR-901 08 016	8mm	M16
GPR-901 08 022	8mm	M22
GPR-901 10 012	10 x 1mm	M12
GPR-901 10 016	10 x 1mm	M16
GPR-901 10 022	10 x 1mm	M22
GPR-901 10 116	10 x 1.25mm	M16
GPR-901 10 122	10 x 1.25mm	M22
GPR-901 10 212	10 x 1.5mm	M12
GPR-901 10 216	10 x 1.5mm	M16
GPR-901 10 222	10 x 1.5mm	M22
GPR-901 12 012	12mm	M12
GPR-901 12 016	12mm	M16
GPR-901 12 022	12mm	M22
GPR-901 15 022	15mm	M22
GPR-901 16 016	16mm	M16
GPR-901 16 022	16mm	M22
GPR-901 08 050	8mm	1/4 NPT



STRAIGHT MALE CONNECTOR

GPR-901

Imperial tube to Metric male

PART #	TUBE	METRIC
GPR-901 95 316	3/8	M16
GPR-901 12 716	1/2	M16
GPR-901 19 122	3/4	M22



STRAIGHT THREADLESS COUPLING

GPR-902

Metric tube - Click coupling

PART #	SIZE	TUBE
GPR-902 04 004	Small (brass)	4mm
GPR-902 06 004	Small	6mm
GPR-902 08 004	Small	8mm
GPR-902 04 005	Regular (brass)	4mm
GPR-902 06 005	Regular	6mm
GPR-902 08 005	Regular	8mm
GPR-902 10 005	Regular	10x1mm
GPR-902 10 105	Regular	10x1.25mm
GPR-902 10 205	Regular	10x1.5mm
GPR-902 12 005	Regular	12mm
GPR-902 12 006	Heavy Duty	12mm
GPR-902 14 006	Heavy Duty	14mm
GPR-902 15 006	Heavy Duty	15mm
GPR-902 16 006	Heavy Duty	16mm

STRAIGHT THREADLESS COUPLING

GPR-902

Imperial tube - Click coupling

PART #	SIZE	TUBE
GPR-902 63 505	Regular	1/4
GPR-902 95 305	Regular	3/8
GPR-902 12 705	Regular	1/2

RAUFOSS AIR BRAKE FITTING



ELBOW COUPLING

GPR-903

Metric tube - Click coupling

PART #	SIZE	TUBE
GPR-903 06 004	Small	6mm
GPR-903 08 004	Small	8mm
GPR-903 06 005	Regular	6mm
GPR-903 08 005	Regular	8mm
GPR-903 10 005	Regular	10x1mm
GPR-903 10 105	Regular	10x1.25mm
GPR-903 10 205	Regular	10x1.5mm
GPR-903 12 205	Regular	12mm
GPR-903 15 006	Heavy Duty	15mm
GPR-903 16 006	Heavy Duty	16mm
GPR-903 63 504	Regular	1/4
GPR-903 95 305	Regular	3/8
GPR-903 12 705	Regular	1/2

ELBOW COUPLING

GPR-903

Imperial tube - Click coupling

PART #	SIZE	TUBE
GPR-903 63 504	Regular	1/4
GPR-903 95 305	Regular	3/8
GPR-903 12 705	Regular	1/2




TUBE CONNECTOR

GPR-905

Metric tube - Push-in

PART #	TUBE
GPR-623 7195*	4mm
GPR-905 06 006	6mm
GPR-905 08 008	8mm
GPR-905 10 010	10x1mm
GPR-905 10 110	10x1.25mm
GPR-905 10 210	10x1.5mm
GPR-905 12 012	12mm
GPR-905 15 015	15mm
GPR-905 16 016	16mm
GPR-623 7475*	18mm

*Brass Range



PUSH-IN BULKHEAD

GPR-909

Metric tube with bulkhead thread

PART #	TUBE	METRIC	METRIC
GPR-909 08 016	8mm	M16	M20
GPR-909 12 016	12mm	M16	M24
GPR-909 12 022	12mm	M22	M24



45 DEG COUPLING

GPR-920

Click coupling

PART #	SIZE
GPR-920 40 045	Small
GPR-920 50 045	Regular
GPR-920 60 045	Heavy Duty



90 DEG ELBOW

GPR-920

Click coupling

PART #	SIZE
GPR-920 50 090	Regular
GPR-920 60 090	Heavy Duty

RAUFOSS AIR BRAKE FITTING



F COUPLING

GPR-920

[Click coupling](#)

PART #	SIZE
GPR-920 40 015	Small
GPR-920 50 015	Regular
GPR-920 60 015	Heavy Duty



T COUPLING

GPR-920

[Click coupling](#)

PART #	SIZE
GPR-920 40 010	Small
GPR-920 50 010	Regular
GPR-920 60 010	Heavy Duty



Y COUPLING

GPR-920

[Click coupling](#)

PART #	SIZE
GPR-920 40 030	Small
GPR-920 50 030	Regular



3-WAY BLOCK COUPLING

GPR-920

[Click coupling](#)

PART #	SIZE
GPR-920 40 060	Small
GPR-920 52 060	Regular
GPR-920 60 060	Heavy Duty



4-WAY CROSS COUPLING

GPR-920

[Click coupling](#)

PART #	SIZE
GPR-920 50 070	Regular
GPR-920 60 070	Heavy Duty



4-WAY BLOCK COUPLING

GPR-920

[Click coupling](#)

PART #	SIZE
GPR-920 50 061	Regular
GPR-920 60 061	Heavy Duty

RAUFOSS AIR BRAKE FITTING



HEX NIPPLE

GPR-931

Metric thread - Click coupling

PART #	SIZE	METRIC
GPR-931 40 050	Small	M10
GPR-931 40 049	Small	M12
GPR-931 40 012	Small	M14
GPR-931 40 016	Small	M16
GPR-931 50 010	Regular	M10
GPR-931 50 012	Regular	M12
GPR-931 50 016	Regular	M16
GPR-931 50 022	Regular	M22
GPR-931 50 014	Regular	M14
GPR-931 60 016	Heavy Duty	M16
GPR-931 60 022	Heavy Duty	M22

HEX NIPPLE

GPR-931

Imperial thread - Click coupling

PART #	SIZE	NPT
GPR-931 40 010	Small	1/8
GPR-931 40 014	Small	1/4
GPR-931 50 049	Regular	1/8
GPR-931 50 050	Regular	1/4
GPR-931 50 051	Regular	3/8
GPR-931 50 052	Regular	1/2
GPR-931 50 060	Regular	G 1/4
GPR-931 60 051	Heavy Duty	3/8



HEX NIPPLE

GPR-931

Metric female thread - Click coupling

PART #	SIZE	METRIC
GPR-931 50 112	Regular	M12
GPR-931 50 116	Regular	M16
GPR-931 50 122	Regular	M22

HEX NIPPLE

GPR-931

Imperial female thread - Click coupling

PART #	SIZE	NPT
GPR-931 50 149	Regular	1/8
GPR-931 50 150	Regular	1/4



SWIVEL BULKHEAD

GPR-933

Metric thread - Click coupling

PART #	TUBE	THREAD	THREAD
GPR-933 52 216	Regular	M16	M22
GPR-933 52 222	Regular	M22	M22

RAUFOSS AIR BRAKE FITTING



SWIVEL BULKHEAD WITH CONE CONNECTION

GPR-933

Metric thread - Click coupling

PART #	SIZE	METRIC
GPR-933 52 416	Regular	M16
GPR-933 53 418	Regular	M18
GPR-933 52 418	Regular	M18
GPR-933 62 418	Heavy Duty	M18



SWIVEL BULKHEAD WITH INTERNAL THREAD

GPR-933

Metric thread with Metric internal thread -
Click coupling

PART #	SIZE	METRIC	METRIC
GPR-933 51 218	Regular	M18	M12
GPR-933 51 622	Regular	M22	M16
GPR-933 62 228	Heavy Duty	M28	M22



SWIVEL BULKHEAD COUPLING

GPR-934

Metric tube with bulkhead - Click coupling

PART #	SIZE	METRIC	METRIC
GPR-934 50 060	Regular	6mm	M18
GPR-934 50 080	Regular	8mm	M20
GPR-934 50 101	Regular	10x1.25mm	M22
GPR-934 50 120	Regular	12mm	M24
GPR-934 60 150	Heavy Duty	15mm	M30

RAUFOSS AIR BRAKE FITTING



THREADLESS TEST POINT ISO 3583

GPR-960

Click coupling

PART #	SIZE	METRIC
GPR-960 50 000	Regular	6mm



REDUCER

GPR-961

Click coupling

PART #	SIZE
GPR-961 50 106	Heavy Duty × Regular



PUSH-IN PLUG

GPR-962

Tube plug

PART #	TUBE
GPR-962 10 004	4mm
GPR-962 10 006	6mm
GPR-962 10 008	8mm
GPR-962 10 010	10x1 / 10x1.25 / 10x1.5mm
GPR-962 10 012	12mm
GPR-962 10 015	15mm
GPR-962 10 016	16mm



UNION FEMALE

GPR-961

Click coupling

PART #	SIZE
GPR-961 40 004	Small
GPR-961 50 205	Regular

RAUFOSS AIR BRAKE FITTING



ROTOLOCK

GPR-964

Rotation lock ring

PART #	SIZE	KEY	COLOUR
GPR-964 42 016	Small	16	Light Grey
GPR-964 42 018	Small	18	Light Grey
GPR-964 42 022	Small	22	Light Grey
GPR-964 52 018	Regular	18	Light Grey
GPR-964 50 020	Regular	20	Dark Grey
GPR-964 50 022	Regular	22	Light Grey
GPR-964 52 028	Regular	28	Dark Grey
GPR-964 60 022	Heavy Duty	22	Light Grey
GPR-964 62 028	Heavy Duty	28	Dark Grey



MALE UNION JOINER

GPR-965

Click coupling

PART #	END A	END B	ROTOLOCK
GPR-965 40 004	Small	Small	GPR-964 42 018
GPR-965 40 005	Small	Regular	GPR-964 42 018
GPR-965 50 005	Regular	Regular	GPR-964 52 018
GPR-965 50 006	Heavy Duty	Regular	GPR-964 52 018
GPR-965 60 006	Heavy Duty	Heavy Duty	GPR-964 60 022



RELEASE TOOL STANDARD

GPR-966

Metric & Imperial tube remover

PART #	METRIC	IMPERIAL
GPR-966 06 010	6mm	1/4
GPR-966 08 010	8mm	
GPR-966 10 010	10x1 10x1.25 10x1.5mm	3/8
GPR-966 12 710	12mm	1/2
GPR-966 14 010	14mm	
GPR-966 15 010	15mm	
GPR-966 16 010	16mm	5/8



RELEASE TOOL PROFESSIONAL

GPR-966

Metric & Imperial tube remover

PART #	METRIC	IMPERIAL
GPR-966 06 021	6mm	1/4
GPR-966 08 021	8mm	
GPR-966 10 021	10x1 10x1.25 10x1.5mm	3/8
GPR-966 12 021	12mm	1/2
GPR-966 14 021	14mm	
GPR-966 15 021	15mm	
GPR-966 16 021	16mm	5/8

Available in kit. Part # GPR-966 19 024

07 FITTING KIT

BREAKDOWN KIT



**IMPERIAL GLOVE BOX
KIT**



**METRIC GLOVE BOX
KIT**

BREAKDOWN KIT



GP BREAKDOWN KIT PROVIDES A FAST AND EFFECTIVE SOLUTION FOR EMERGENCY AIR BRAKE REPAIRS. INCLUDING BOTH METRIC AND IMPERIAL JOINERS, TEES AND BLANKING PLUGS, IT HELPS KEEP TRUCKS AND TRAILERS MOVING.

BREAKDOWN KIT

Part # GPKT-6264-01

- Make immediate repairs to vehicles
- Get truck and trailer back on the road quickly
- Covers a wide range of popular truck and trailer tube sizes
- Keep stock of emergency DOT air brake fittings
- Internal contents label for easy reordering
- Top up your kit as fittings are used
- Kit includes a tube cutter
- Compact 20 compartment clear carry case
- Replacement components available separately
- ADR 38/05 compliant DOT air brake fittings
- Blanking plugs included in kit



Dimensions: 350 x 270 x 55mm



Contact us to customise your kit to suit your requirements.

GPKT-6264-01

PART #	QTY	DESCRIPTION
DQ62P02	2	1/8 Union Joiner NON DOT
DQ62DOT5/32	2	5/32 Union Joiner
DQ62DOT04	2	1/4 Union Joiner
DQ62DOT06	2	3/8 Union Joiner
DQ62DOT08	2	1/2 Union Joiner
DQ62DOT10	2	5/8 Union Joiner
DQ64DOT5/32	1	5/32 Union Tee
DQ64DOT04	1	1/4 Union Tee
DQ64DOT06	1	3/8 Union Tee
DQ64DOT08	1	1/2 Union Tee
MDQ62DOT6	2	6mm Union Joiner
MDQ62DOT8	2	8mm Union Joiner
MDQ62DOT10	2	10mm Union Joiner
MDQ62DOT12	2	12mm Union Joiner
MDQ62DOT16	1	16mm Union Joiner
MDQ64DOT6	1	6mm Union Tee
MDQ64DOT8	1	8mm Union Tee
MDQ64DOT10	1	10mm Tube Tee
MDQ64DOT12	1	12mm Union Tee
GP-TSNIP	1	Tube Cutter
GP-064-P04	1	1/4 Tube Plug
GP-064-P06	1	3/8 Tube Plug
GP-064-P08	1	1/2 Tube Plug
GP-064-P6	1	6mm Tube Plug
GP-064-P8	1	8mm Tube Plug
GP-064-P10	1	10mm Tube Plug
GP-064-P12	1	12mm Tube Plug



GP-TSNIP

GLOVE BOX KIT

IMPERIAL KIT



24HR EMERGENCY AIR BRAKE SOLUTIONS

GLOVE BOX KITS

- Keeping your vehicle on the road
- ADR 38/05 Compliant DOT Air Brake Fittings
- Joiners to suit most common tube sizes
- Prevent costly downtime
- Available in Metric and Imperial kits
- Kits include a tube cutter
- Compact 5 compartment clear carry case
- Blanking plugs included

IMPERIAL GLOVE BOX KIT

Part # GPKT-6264-02

- Imperial Kit
- Blanking plugs included
- Dimensions:
190 x 120 x 30mm



GPKT-6264-02

PART #	QTY	DESCRIPTION
DQ62P02	1	1/8 Union Joiner NON DOT
DQ62DOT5/32	1	5/32 Union Joiner
DQ62DOT04	1	1/4 Union Joiner
DQ62DOT06	1	3/8 Union Joiner
DQ62DOT08	1	1/2 Union Joiner
DQ64DOT5/32	1	5/32 Union Tee
DQ64DOT04	1	1/4 Union Tee
DQ64DOT06	1	3/8 Union Tee
DQ65DOT06	1	3/8 90 Deg Union Elbow
GP-064-P04	1	1/4 Tube Plug
GP-064-P06	1	3/8 Tube Plug
GP-064-P08	1	1/2 Tube Plug
GP-TSNIP	1	Tube Cutter

NOTE: Customised kits can be made upon request



GLOVE BOX KIT

METRIC KIT

METRIC GLOVE BOX KIT

Part # GPKT-6264-03

- Metric Kit
- Blanking plugs included
- Dimensions:
190 x 120 x 30mm

GPKT-6264-03

PART #	QTY	DESCRIPTION
MDQ62DOT6	1	6mm DOT Union Joiner
MDQ62DOT8	1	8mm DOT Union Joiner
MDQ62DOT10	1	10mm DOT Union Joiner
MDQ62DOT12	1	12mm DOT Union Joiner
MDQ65DOT8	1	8mm 90 Deg Union Elbow
MDQ64DOT6	1	6mm Union Tee
MDQ64DOT8	1	8mm Union Tee
GP-064-P6	1	6mm Tube Plug
GP-064-P8	1	8mm Tube Plug
GP-064-P10	1	10mm Tube Plug
GP-064-P12	1	12mm Tube Plug
GP-TSNIP	1	Tube Cutter




NOTE: Customised kits can be made upon request

MERCHANDISER & STORAGE

**LOCKABLE FITTING
CABINET**



**MOBILE DOT
FITTING RACK**



**MODULAR
STORAGE**



**MERCHANDISER
DISPLAY SYSTEM**



**HANG SELL
PRODUCT**



**TUBE DISPLAY
STAND**

LOCKABLE FITTING CABINET & STAND

FITTING CABINET

Secure storage cabinet designed for organised access to DOT air brake fittings in workshop, fleet and industrial environments.

Lockable steel construction with clear perspex door and transparent storage bins allows quick visual identification, controlled access and efficient stock management.

FITTING CABINET

Part # GPFC-DOT-30

Lockable steel cabinet with perspex door and clear fronted storage bins for easy identification and secure storage of fittings.



FEATURES

- Lockable cabinet for secure fitting storage
- Clear perspex door for easy viewing without opening
- Transparent bins for fast identification of fittings
- Organised storage to improve workshop efficiency
- Durable steel construction for workshop environments
- Space-efficient design suitable for wall mounting or stand installation
- Australian Made

Identification System

Each bin includes printed labels identifying fitting configuration, tube size, thread size and part number for fast and accurate selection.

Barcode labelling can also be supplied to support inventory control and stock management systems.

FITTING CABINET STAND

Part # GPFCS-DOT-30

Heavy duty steel stand designed to support one or two GPFC-DOT-30 cabinets, improving accessibility and storage efficiency.



Specifications

Part # GPFC-DOT-30

760H × 620W × 300D

Part # GPFCS-DOT-30

1210H × 680W × 435D

Assembly

2 × GPFC-DOT-30 Cabinets

1 × GPFCS-DOT-30 Stand

Overall Dimensions:

1690H × 680W × 435D



MOBILE DOT FITTING RACK

MOBILE DOT FITTING STORAGE SYSTEM.
QUICKLY IDENTIFY & ACCESS YOUR FITTINGS!

MOBILE DOT FITTING RACK

The mobile storage system provides organised, accessible storage for DOT air brake fittings in workshop, fleet and retail environments. Designed for durability and ease of use, it allows quick identification, efficient stock control and improved workflow efficiency.

The modular bin layout and clear identification labels ensure accurate part selection, while the mobile design allows convenient positioning throughout the workshop.

FEATURES

- Mobile storage system for DOT air brake fittings
- Clear front bins for easy identification of contents and stock levels
- Printed identification labels for fast part recognition
- Double-sided design for maximum storage capacity
- Lockable castor wheels for secure positioning
- Space-efficient vertical layout to maximise floor space
- Durable construction suitable for workshop environments
- Header panel for product identification or branding

Identification System

Each bin includes printed labels identifying fitting configuration, tube size, thread size and part number for quick and accurate selection.

Barcode labelling can also be supplied to support inventory control, scanning systems and stock management.

Applications

- Heavy vehicle workshops
- Fleet maintenance operations
- OEM trailer manufacturing
- Parts retail and storage environments

Specifications

Part # GPRK-DOT-068

Dimensions: 1780H x 530W x 650D



MODULAR STORAGE

LOUVRE PANEL & STORAGE BIN SYSTEM

MODULAR STORAGE

CLEAR ORGANISATION. EFFICIENT WORKFLOW.

The GP Louvre Panel Storage System provides a flexible solution for organising fittings, components and consumables. Compatible with GP Louvre Bins and industrial grade Stor-Pak bins, the system improves part visibility, accessibility and inventory control in workshop and retail environments.

LOUVRE PANEL

- Heavy duty steel construction
- Wall mounted modular storage system
- Expandable layout for flexible configuration
- Suitable for workshop and retail environments

LOUVRE PANEL

PART #	DESCRIPTION
GP-LOUVRE PANEL	914H × 460W
GP-LOUVRE PANEL LARGE	1824H × 460W

LOUVRE BIN

- Durable plastic construction
- Compatible with GP Louvre Panels
- Integrated label area for identification
- Easy removal and repositioning

LOUVRE BIN

PART #	DESCRIPTION
GP-MB-01	103W × 83D × 120H
GP-MB-02	154W × 126D × 182H
GP-MB-03	208W × 167D × 238H

STORAGE BIN

- Industrial grade polypropylene construction
- Oil, chemical and impact resistant
- Integrated label area for part identification
- Optional dividers available
- Multiple colour options available

Applications

- Truck and trailer workshops
- Spare parts retailers
- Fleet maintenance facilities
- Warehouse and storage environments
- Trade counter and branch locations

STORAGE BIN

PART #	DESCRIPTION
GP-STP-5BL	5LT STORAGE BIN
GP-STP-10BL	10LT STORAGE BIN
GP-STP-25BL	25LT STORAGE BIN
GP-STP-60BL	60LT STORAGE BIN
GP-STP-80BL	80LT STORAGE BIN
GP-STP-120BL	120LT STORAGE BIN
GP-STP-240BL	240LT STORAGE BIN



MERCHANDISER DISPLAY SYSTEM

MERCHANDISER DISPLAY SYSTEM

BUILT TO DISPLAY. DESIGNED TO SELL.

The GP Merchandiser Display System is a purpose-built hang-sell solution designed to present air brake fittings and consumables in retail and trade counter environments. It improves product visibility, speeds part selection and increases add-on sales while maintaining an organised, professional display.

Designed for high-turn product ranges, the merchandiser maximises SKU density within a compact footprint and supports efficient stock management through structured layout and clear product identification.

FEATURES

- Hang-sell display system for fittings and consumables
- Improves product visibility and customer access at point of sale
- High SKU density within compact floor space
- Clear product identification for fast and accurate selection
- Durable construction suitable for retail and branch environments
- Professional GP branded presentation
- Flexible layout configuration to suit available space
- Planogram support available for easy setup

Display Options

- Adjustable configuration based on product range and branch requirements
- Suitable for fittings, tubing, accessories and consumables

Stock Management Support

GP supports stock replenishment through standard branch ordering processes.

Planograms and layout guides are available to assist with initial setup and ongoing stock organisation.

Applications

- Truck and trailer spare parts retailers
- Trade counter environments
- Distributor and branch locations





Specifications

Part # GP-MSL-2110

Louvre Panel

Dimensions: 2110H x 1200W x 400D

Part # GP-MSL-1510

Louvre Panel

Dimensions: 1510H x 1200W x 400D

Part # GP-MSP-2110

Peg Board Panel

Dimensions: 2110H x 1200W x 400D

Part # GP-MSP-1510

Peg Board Panel

Dimensions: 1510H x 1200W x 400D

Part # GP-MSPL-2110

Louvre Panel & Peg Board Panel

Dimensions: 2110H x 1200W x 400D

HANG SELL

RETAIL PRODUCTS READY TO SELL

HANG SELL PRODUCTS

Individually packaged and retail-ready, our Hang Sell range is designed for maximum visibility and effortless merchandising. Each product is pre-packed for easy display on our Merchandise stands, hooks or peg systems, helping streamline setup and create a clean, consistent shelf presence.

With strong front-facing visibility and easy access for shoppers, Hang Sell packaging naturally encourages interaction, improves product discovery, and increases impulse purchase opportunities. This enhanced shopper engagement not only drives stronger conversion rates but also reinforces a clear and consistent brand presence at shelf level, helping build lasting recognition. The result is a more engaging in-store experience that supports stronger conversion rates and improved sales performance for retail outlets.

KEY BENEFITS

- Ready to Hang. Ready to Sell.
- Drive In-Store Engagement
- Increase Impulse Purchases
- Turn Browsers into Buyers
- Maximise Retail Sales Performance
- Retail-Ready Display Solution
- Effortless Merchandising.
- Designed for Fast, Effective Shelf Setup



GP-90-01
Suzi Coil Coupling Set



GP-90-02
Trailer Coupling Set



GP-936-CLM
Trailer Coupling Lock Male



GP-936-CLF
Trailer Coupling Lock Female



GP-9888
3 Hole Tec-Clamp



GP-9889
4 Hole Tec-Clamp



GP-90-01CL
Cliplock Suzi Coil Coupling Set



GP-90-02CL
Cliplock Trailer Coupling Set



XD-30
Automatic Drain Valve



GP-TSNIP-2
Tube Cutter



GP-HDCUT
Heavy Duty Tube Cutter

BOXED AIR BRAKE TUBE CABINET

DISPLAY STAND

HANG SELL PRODUCTS CONTINUED



GP-926-SK16
Tender Spring Kit



GP-7000
Short Tail Supercoil Suzi Coil



GP-7750
Long Tail Supercoil Suzi Coil

BOXED AIR BRAKE TUBE CABINET

Designed to neatly display and store boxed air brake tubes.

- Suitable for workshops, spare parts shops and showrooms
- Keeps boxed tubing organised, protected and readily accessible
- Easy identification of tube sizes and colours
- Maximises wall space and reduces clutter
- Store tubing in original packaging with adjustable shelf height

Part # GP-SC-BT01

Dimensions: 1840H x 900W x 455D



TUBE STAND

RETAIL / WORKSHOP

TUBE STAND

ORGANISED STORAGE. EASY ACCESS.
PROFESSIONAL PRESENTATION.

The GP Air Brake Tube Stand provides a dedicated vertical storage solution for air brake nylon tube and associated tubing products. It allows organised storage, easy dispensing and clear identification of multiple tube sizes, improving workshop efficiency and retail presentation.

Designed for both workshop and trade counter environments, the stand ensures tube remains protected, accessible and properly managed while reducing clutter and improving workflow.

FEATURES

- Vertical storage system for air brake tube and associated products
- Easy dispensing for fast and efficient tube selection
- Supports multiple tube sizes within a compact footprint
- Keeps tube organised, protected and accessible
- Durable steel construction for workshop and retail environments
- Professional GP presentation suitable for customer facing areas
- Stable floor-standing design
- Improves stock organisation and workflow efficiency
- Integrated retaining grommets secure tube ends and prevent unravelling when not in use.
- Retaining grommets support 1/4 (6mm), 5/16 (8mm), 3/8 (10mm) and 1/2 (12mm)

Suitable for storage and dispensing of:

- Air brake tube
- Rubber air brake hose
- Truck and trailer air brake system tubing
- Corrugated Split Tube

Specifications

Part # GP-TS

Dimensions: 2115H × 1112W × 740D

Heavy duty steel frame



SAFETY PRODUCTS

**CONSPICUITY
TAPE**



**TRAILER
COUPLING LOCK**



HIGH VISIBILITY MINING TAPE

CONSPICUITY TAPE

FLUORESCENT CONSPICUITY TAPE - EDGE SEALED

DESIGNED FOR EXTREME ENVIRONMENTS SUCH AS MINING AND CONSTRUCTION OPERATIONS.

Fluorescent conspicuity tape provides maximum visibility and durability on heavy vehicles and equipment. The pre-edge sealed construction improves resistance to edge lifting, contamination and harsh operating conditions.

FEATURES

- Prismatic high-intensity reflective film for maximum visibility
- Pre-edge sealed construction for improved durability and edge protection
- Engineered for demanding environments including mining and construction operations
- Designed for long-term performance on heavy vehicles and equipment

Applications

- Mining haul trucks and equipment
- Construction and heavy machinery
- Fleet and heavy transport vehicles

Specifications

- High-intensity prismatic reflective tape
- Pre-edge sealed construction to minimise edge lifting and contamination
- Compliant with AS/NZS 1906.1:2017 Class 400 (Class 1W)
- Service life up to 10 years in mining applications

FLUORESCENT CONSPICUITY TAPE

PART #	COLOUR	SIZE
GP-7113	Fluorescent Yellow/Green	50m × 50mm



CONTINUOUS RIGID GRADE CONSPICUITY TAPE

CONTINUOUS REFLECTIVE TAPE

RIGID SURFACE CONSPICUITY TAPE DESIGNED FOR TRUCKS AND TRAILERS WITH SOLID BODY PANELS.

The prismatic reflective construction provides excellent long-distance night-time visibility while the durable polyester backing provides long service life in demanding transport environments.

FEATURES

- High-intensity prismatic reflective film for maximum visibility
- Designed for rigid truck and trailer body surfaces
- Excellent long-distance night-time visibility
- Resistant to weather, solvents and industrial cleaning processes
- Durable construction for demanding transport environments
- Easy to cut, handle and apply
- Long service life up to 10 years

Applications

- Trucks and trailers
- Commercial transport vehicles
- Fleet and logistics vehicles

Specifications

- Single-layer prismatic reflective construction
- Polyester backing with pressure-sensitive adhesive
- Resistant to power washing and industrial cleaning
- Compliant with ECE 104 Class C

CONTINUOUS REFLECTIVE TAPE

PART #	COLOUR	SIZE
GP-7165	Yellow	50m × 50mm
GP-7167	Red	50m × 50mm
GP-7168	White	50m × 50mm



SQUARE CURTAIN GRADE

SEGMENTED CONSPICUITY TAPE

SQUARE SEGMENTED CURTAIN GRADE

SEGMENTED CONSPICUITY TAPE DESIGNED FOR USE ON CURTAIN-SIDE TRAILERS AND FLEXIBLE VEHICLE SURFACES.

The prismatic reflective construction provides excellent night-time visibility while the flexible vinyl construction allows the tape to move with curtain materials without cracking or delamination.

FEATURES

- High-intensity prismatic reflective film
- Segmented square design suitable for curtain-side trailers
- Flexible vinyl construction moves with curtain materials
- Resistant to weather, power washing and industrial cleaning processes
- Easy to cut, handle and apply
- Durable construction designed for transport environments

Applications


- Curtain-side trailers
- Trucks with flexible curtain surfaces
- Fleet and commercial transport vehicles

Specifications

- Segment size: 50 mm × 48 mm
- Flexible vinyl construction with pressure-sensitive adhesive backing
- Designed for curtain-side vehicle applications

SQUARE SEGMENTED CURTAIN GRADE

PART #	COLOUR	SIZE
GP-7174	Yellow	50m × 48mm
GP-7175	Red	50m × 48mm
GP-7176	White	50m × 48mm



TRAILER COUPLING LOCK



KEYED ALIKE TRAILER COUPLING LOCK

One key for multiple trailer coupling locks. Ideal for fleet applications.

- Suits female threaded coupling adaptor GP-921-08
- Suits male threaded coupling adaptor GP-931-08
- Coupling lock with keyed alike padlock included
- Designed for fleets using a single key across multiple trailers
- Isolates truck and trailer air brake connections during servicing
- Helps prevent unauthorised trailer movement
- Also known as a Coupling Lockout

TRAILER COUPLING LOCK

Helps protect trailers from theft and unauthorised movement.

- Suits female threaded coupling adaptor GP-921-08
- Suits male threaded coupling adaptor GP-931-08
- Coupling lock with padlock included
- Also known as a Coupling Lockout

KEYED ALIKE TRAILER COUPLING LOCK

GP-938

Keyed Alike

PART #	PART MATING	MATING PART X-REF	TO SUIT
GP-938-CLFKA	GP-921-08	CA93-23	To suit a female threaded adaptor GP-921 series
GP-938-CLMKA	GP-931-08	CA93-20	To suit a male threaded adaptor GP-931 series

TRAILER COUPLING LOCK

GP-936

Trailer Coupling Lock

PART #	MATING PART	MATING PART X-REF	TO SUIT
GP-936-CLF	GP-921-08	CA93-23	To suit a female threaded adaptor GP-921 series
GP-936-CLM	GP-931-08	CA93-20	To suit a male threaded adaptor GP-931 series
GP-936-0003			Padlock only, to suit GP-936



TRAILER COUPLING LOCK

GP-936

Without Padlock

PART #	TO SUIT
GP-937-CLM	Male thread adaptor GP-931-08
GP-937-CLF	Female thread adaptor GP-921-08

10

RUBBER HOSE

**D.O.T. AIR BRAKE
RUBBER HOSE**



**RUBBER HOSE
ASSEMBLY**

D.O.T. AIR BRAKE RUBBER HOSE & RUBBER HOSE ASSEMBLY

D.O.T. AIR BRAKE RUBBER HOSE

SUPERIOR
QUALITY AIR
BRAKE HOSE.

FEATURES

- Designed for compressed air brake systems on trucks and buses
- Reinforced with braided synthetic cord for high strength and durability
- 3/8 and 1/2 sizes meet SAE J1402 specifications and comply with DOT FMVSS 106
- 3/4 size meets SAE J1403 specifications and complies with DOT FMVSS 106VH
- Black, seamless synthetic rubber construction
- Resistant to oil, heat, weather, grease, and contaminants common in air brake systems
- Flexible and kink resistant for ease of installation
- Designed to suit all common air brake coupling styles
- Operating temperature range: -40 °C to +100 °C



RUBBER HOSE ASSEMBLY

FLEXIBLE & KINK RESISTANT
RUBBER HOSE ASSEMBLY.

FEATURES

- Flexible and kink resistant SAE J1402 Air Brake Hose
- Complies with DOT FMVSS 106 requirements
- Couplings meet SAE and DOT minimum pull-off requirements
- High quality brass male pipe fitting on one end, female air brake swivel with male pipe adaptor on other end
- Temperature rating: -40 °C to +100 °C



DOT AIR BRAKE RUBBER HOSE

PART #	ID SIZE	LENGTH	PSI
GP-RH-06-76.2	3/8	76.2m	225
GP-RH-06-152.4	3/8	152.4m	225
GP-RH-08	1/2	Cut to length	225
GP-RH-08-76.2	1/2	76.2m	225
GP-RH-08-152.4	1/2	152.4m	225
GP-RH-012	3/4	Cut to length	350
GP-RH-012-76.2	3/4	76.2m	350
GP-RH-012-152.4	3/4	152.4m	350

NON DOT RUBBER HOSE

PART #	ID SIZE	REEL SIZE (MT)	PSI
GP-RH-012H	3/4	Cut to length	200
GP-RH-012H-152.4	3/4	152.4m	200

RUBBER HOSE ASSEMBLY

PART #	MALE NPT	ABS SWIVEL THREAD	LENGTH (INCHES)	CROSS REFERENCE
GPHA-0806-18	3/8-18	7/8-20	18	WF38353.01800
GPHA-0806-20	3/8-18	7/8-20	20	WF38353.02000
GPHA-0806-22	3/8-18	7/8-20	22	WF38353.02200
GPHA-0806-24	3/8-18	7/8-20	24	WF38353.02400
GPHA-0806-26	3/8-18	7/8-20	26	WF38353.02600
GPHA-0806-28	3/8-18	7/8-20	28	WF38353.02800
GPHA-0806-30	3/8-18	7/8-20	30	WF38353.03000
GPHA-0806-32	3/8-18	7/8-20	32	WF38353.03200
GPHA-0806-34	3/8-18	7/8-20	34	WF38353.03400
GPHA-0806-36	3/8-18	7/8-20	36	WF38353.03600
GPHA-0806-38	3/8-18	7/8-20	38	WF38353.03800

*Customised lengths available upon request

SUZI COIL

TEC-CLAMP



POGO STICK



SUPERCویل SUZI COIL



TENDER SPRING KIT

TEC-CLAMP

SUZI COIL CLAMP

HEAVY DUTY TEC-CLAMP

HOOKING UP TRAILER CONNECTION LINES JUST GOT EASIER!

FEATURES

- 3 or 4 hole design for secure truck and trailer connection line retention
- Tool-free connection without additional hardware required
- Suitable for rubber air brake hose and coiled tubing assemblies
- Compatible with Tender Kits and Pogo Stick suspension devices
- Available E-coated clip option
- Heavy duty construction engineered for demanding transport applications
- Secure locking clasp built for repeated clamping and unclamping
- Integrated "Hose Keeper" feature holds lines in position during installation
- Red "power tab" for quick identification and ease of operation
- Corrosion-resistant composite body for long service life

HEAVY DUTY TEC-CLAMP

PART #	DESCRIPTION
GP-9888	3 Hole Tec-Clamp
GP-9889	4 Hole Tec-Clamp
Also available	
GP-9887	Standard Clamp



Standard Clamp



3 Hole Tec-Clamp



4 Hole Tec-Clamp

CHROME POGO STICK

WITH TEC-CLAMP

HEAVY DUTY CHROME POGO STICK

THE PREFERRED COMBINATION FOR MANY IN THE TRANSPORT INDUSTRY.

FEATURES

- Polished chrome Pogo Stick with Tec-Clamp combination
- Anti-corrosion polished chrome finish for long service life
- Engineered for exceptional strength - up to 66% stronger than competitive designs
- Designed for durability in heavy duty transport applications
- Mounting hardware included for quick and easy installation
- Available with 3 hole or 4 hole Tec-Clamp bracket options
- Pogo Stick and Tec-Clamp also available separately
- Preferred solution for cable and air line support across the transport industry

HEAVY DUTY CHROME POGO STICK

PART #	DESCRIPTION
GP-925-C	Pogo stick with Standard clamp
GP-925-C3	Pogo stick with 3 Hole Tec-Clamp
GP-925-C4	Pogo stick with 4 Hole Tec-Clamp



SUPERCOIL® ANTI KINK SUZI COIL



SUPERCOIL® ANTI KINK SUZI COIL


FEATURES

- Compliant Standards: ADR-38/05, Tested to DIN 74323, 74324 & ISO 7375 A1
- Anti Kink** Thermoplastic polyurethane and polyamide materials
- Excellent abrasion resistance
- Excellent mechanical properties, combined with rubber-like elasticity
- Oil and diesel resistance
- High UV resistance (>4000 hours of accelerated testing to ISO 4982-2)
- 40% lighter than traditional Type B suzi coil
- High elasticity with excellent flexibility and recoil memory
- Compact 74mm diameter coil
- Short Tail Working Length - 3.0 Metres
- Long Tail Working Length - 3.75 Metres


SUPERCOIL

PART #	TYPE	WORKING LENGTH
GP-7000	Short Tail	3m
GP-7750	Long Tail	3.75m

Regular
Suzi-Coil
130mm
Diameter



SUPERCOIL
Compact 74mm
diameter coil



TENDER SPRING KIT

TENDER SPRING KIT

ALL-IN-ONE HOSE MANAGEMENT SOLUTION!

FEATURES

- Complete hose management solution
- Kit includes large snap clip, clamp, heavy duty spring and protective sleeve
- Heavy duty clamp design engineered for high-strength performance in transport applications
- Tool-free installation for secure and efficient hose management
- Compatible with standard truck and trailer air and electrical line configurations
- Corrosion-resistant composite body for long service life

TENDER SPRING KIT

PART #	DESCRIPTION
GP-926-SK16	Tender spring kit with Standard clamp
GP-926-SK16-3	Tender spring kit 3 Hole Tec-Clamp



WORKSHOP EQUIPMENT

**WORKSHOP AIRLINE
COUPLING**



BEARINGMASTER



**BEARING GREASE
PACKER**



**TYRE VALVE
EXTENSION**

WORKSHOP AIRLINE COUPLING & ADAPTOR



FEMALE COUPLING ADAPTOR

GP-961

Female thread

PART #	X-REF	BSP
GP-961-04	20PF	1/4
GP-961-06	30PF	3/8
GP-961-08	40PF	1/2



MALE COUPLING ADAPTOR

GP-971

Male thread

PART #	X-REF	BSP
GP-971-04	20PM	1/4
GP-971-06	30PM	3/8
GP-971-08	40PM	1/2



HOSE BARB COUPLING ADAPTOR

GP-972

Hose barb

PART #	X-REF	HOSE
GP-972-04	20PH	1/4
GP-972-06	30PH	3/8
GP-972-08	40PH	1/2



FEMALE COUPLING SEALING

GP-981

Female thread

PART #	X-REF	BSP
GP-981-04	20SF	1/4
GP-981-06	30SF	3/8
GP-981-08	40SF	1/2



MALE COUPLING SEALING

GP-991

Male thread

PART #	X-REF	BSP
GP-991-04	20SM	1/4
GP-991-06	30SM	3/8
GP-991-08	40SM	1/2



HOSE BARB COUPLING

GP-992

Hose barb

PART #	X-REF	HOSE
GP-992-04	20SH	1/4
GP-992-06	30SH	3/8
GP-992-08	40SH	1/2

BEARINGMASTER

INSTALLATION & REMOVAL KIT



BEARINGMASTER

INSTALLS AND REMOVES BEARING CUPS SAFELY AND PRECISELY WITHOUT DAMAGING HUBS.

Engineered for heavy vehicle workshops, OEM trailer manufacturers and fleet maintenance operations requiring accurate and repeatable bearing services.

Available for

BPW • DANA • YORK • MERITOR • EATON • HENDRICKSON • INGERSOLL • K-HITCH • TMC
Suitable for drive, steer and trailer axle applications.

INSTALLATION KIT – GP-TBS-100

Heavy duty bearing installer kit designed to ensure correct seating of bearing cups while protecting hub surfaces from damage.

- Safe, precise bearing cup installation
- Prevents hub damage and distortion
- Reduces costly rework and downtime
- Heavy duty workshop grade construction
- Interchangeable precision-machined tool heads

REMOVAL KIT – GP-TBS-200

Professional bearing cup removal kit engineered for controlled extraction without damaging hubs.

- Safe removal of bearing cups
- Protects hub integrity
- Interchangeable hardened steel tool heads
- Reduces labour time and workshop costs
- Built for demanding heavy vehicle service environments

INSTALLER BEARINGMASTER KIT CONTENT

INSTALLER PART #	APPLICATION
GP-572-1	EATON / MERITOR / MACK - DRIVE OUTER
GP-592-1	EATON / MERITOR / MACK - DRIVE INNER
GP-2011-1	EATON / MERITOR / BPW NEW GEN / TRAILER GENERAL PURPOSE - INNER / OUTER
GP-3720-1	EATON / MERITOR - STEER OUTER
GP-8210-1	TRAILER GENERAL PURPOSE - INNER
GP-C1200	Collet
GP-100	Handle
GP-LP-04	Lynch Pin
GP-TB-100	Tool Box

REMOVER BEARINGMASTER KIT CONTENT

REMOVER PART #	APPLICATION
GP-572-2	EATON / MERITOR / MACK - DRIVE OUTER
GP-592-2	EATON / MERITOR / MACK - DRIVE INNER*
GP-2011-2	EATON / MERITOR / TRAILER GENERAL PURPOSE - INNER / OUTER*
GP-3720-2	EATON / MERITOR - STEER OUTER
GP-8210-2	TRAILER GENERAL PURPOSE - INNER*
GP-C1200	Collet
GP-100	Handle
GP-LP-04	Lynch Pin
GP-TB-200	Tool Box

ADDITIONAL TOOL HEADS AVAILABLE SEPARATELY

INSTALLER PART #	REMOVER PART #	APPLICATION
GP-33116-1	GP-33116-2	BPW LIGHT WEIGHT - INNER
GP-32310-1	GP-32310-2	BPW LIGHT WEIGHT - OUTER
GP-552A-1	GP-552A-2	EATON / MERITOR - STEER OUTER
GP-6420-1	GP-6420-2	EATON / MERITOR - STEER INNER
GP-45220-1	GP-45220-2	EATON / MERITOR - STEER OUTER
GP-518410-1	GP-518410-2	FUWA / PROPAP - TRAILER INNER / OUTER

* NOTES

- GP-592-2 & GP-2011-2 not suitable for BPW hubs
- GP-8210-2 not suitable for ConMet hubs.

BEARING GREASE PACKER

GREASE PACKER

- Easy grease lubrication for truck and trailer wheel bearings
- Eliminates hand contact with grease
- Reduces mess during bearing servicing
- Provides even grease distribution through the bearing
- Simple and reusable workshop tool

Part # GP-T13-BP1



TYRE VALVE EXTENSION

TYRE VALVE EXTENSION

DESIGNED TO IMPROVE VALVE ACCESS ON TRUCK AND COMMERCIAL VEHICLE WHEELS WHERE EXTENDED REACH IS REQUIRED.

- Designed specifically for heavy vehicle and truck applications
- Manufactured from high-quality and durable plastic
- 150mm length for improved access to recessed valve stems
- Hex-shaped body for easy installation and secure tightening
- Lightweight yet strong construction
- Available in Black or White

TYRE VALVE EXTENSION

PART #	COLOUR	LENGTH
GP-23206-BK	BLACK	150mm
GP-23207-WH	WHITE	150mm





UNCOMPROMISED ENGINEERED PRODUCTS

PRODUCTS CONFORMING
TO AUSTRALIAN STANDARD ADR-38/05



GENERAL
PNEUMATICS

General Pneumatics Pty Ltd
trading as GP Truck Products

GP TRUCK PRODUCTS

Victoria, Australia
Phone +61 3 9580 1811
Fax +61 3 9580 1822

sales@gptruckproducts.com.au
www.gptruckproducts.com.au
sales@generalpneumatics.com.au
www.generalpneumatics.com.au